



350 t All Terrain Crane



Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes

Access Platforms


Fork Lifts





Call us (888) 972-7263

350 t | All Terrain Crane



Working range



   											
51-197 ft		220,400 lbs				28'6" x 27'11"			360°		
100%											
ft	51*	51	69	87	106	124	142	160	178	197	ft
8	700										8
10	542	466	422	342							10
15	412	370	366	342	242						15
20	332	302	302	300	242	185	139				20
25	266	254	258	254	242	185	139	106			25
30	219	218	222	222	220	185	139	106	78	66	30
35	185	185	188	188	187	174	137	106	78	66	35
40			162	163	161	161	126	106	78	66	40
45			142	143	141	144	116	102	78	66	45
50			126	126	128	128	106	95	78	66	50
55			113	113	116	114	98	88	78	66	55
60				102	105	103	91	82	75	66	60
65				92	95	93	84	76	70	65	65
70				85	86	85	78	71	66	62	70
75					79	77	73	66	62	59	75
80					72	70	67	62	58	56	80
85					67	65	64	58	54	52	85
90					62	60	61	54	50	49	90
95						55	57	50	47	46	95
100						51	53	48	45	43	100
105						47	50	45	42.4	41	105
110						45	46	42.4	40.2	39	110
115							43.2	40.4	38.2	37	115
120							40.6	38.6	36.2	35.2	120
125								37	34.4	33.6	125
130								34.6	32.6	32	130
135								33.4	31.2	30	135
140								32.4	30	27.8	140
145									28.8	26	145
150									27.2	24.8	150
155									25.6	23.8	155
160									24.4	22.6	160
165										21.8	165
170										20.6	170
175										19.2	175
180										17.2	180

* over rear with retracted outrigger base
 Lifting capacities greater than 425,000 lbs. require special equipment.


 Carry Decks
 Boom Trucks
 Rough Terrain Cranes
 All Terrain Cranes
 Truck Cranes
 Crawler Cranes
 Access Platforms
 Fork Lifts





Call us (888) 972-7263


350 t | All Terrain Crane



Working range



   							
142-197 ft		220,400 lbs		28'6" x 27'11" 100%		360°	
ft	142	160	178	197	ft		
20	139				20	Carry Decks	
25	139	106			25	Boom Trucks	
30	139	106	78	66	30	Rough Terrain Cranes	
35	139	106	78	66	35	Rough Terrain Cranes	
40	139	106	78	66	40	Rough Terrain Cranes	
45	139	106	78	66	45	Rough Terrain Cranes	
50	126	106	78	66	50	Rough Terrain Cranes	
55	112	106	78	66	55	Rough Terrain Cranes	
60	100	101	78	66	60	Rough Terrain Cranes	
65	91	91	78	66	65	Rough Terrain Cranes	
70	82	83	78	66	70	Rough Terrain Cranes	
75	75	77	76	66	75	Rough Terrain Cranes	
80	71	71	70	66	80	Rough Terrain Cranes	
85	66	66	64	65	85	Rough Terrain Cranes	
90	63	62	59	60	90	Rough Terrain Cranes	
95	59	58	56	56	95	Rough Terrain Cranes	
100	55	54	53	52	100	Rough Terrain Cranes	
105	51	50	49	48	105	Rough Terrain Cranes	
110	47	47	46	44	110	Rough Terrain Cranes	
115	44	43.4	42.6	41.2	115	Rough Terrain Cranes	
120	41.4	40.6	39.8	38.4	120	Rough Terrain Cranes	
125		38	37	35.8	125	Rough Terrain Cranes	
130		35.6	34.6	33.4	130	Rough Terrain Cranes	
135		33.4	32.4	31	135	Rough Terrain Cranes	
140		31.2	30.4	29	140	Rough Terrain Cranes	
145			28.4	27	145	Rough Terrain Cranes	
150			26.6	25.2	150	Rough Terrain Cranes	
155			25	23.6	155	Rough Terrain Cranes	
160			23.4	22	160	Rough Terrain Cranes	
165				20.6	165	Rough Terrain Cranes	
170				19.2	170	Rough Terrain Cranes	
175				17.8	175	Rough Terrain Cranes	
180				14.4	180	Rough Terrain Cranes	




Call us (888) 972-7263

350 t | All Terrain Crane



Working range





 179-197 ft  36 ft  220,400 lbs  28'6"x27'11" 100%  360°							
ft	179		197		ft		
	5°	30°	5°	30°			
40	45		38.8		40		
45	43.6		38.8		45		
50	42.8	32.6	38.8	30.8	50		
55	42	31.8	38.4	30.4	55		
60	41.2	31	37.8	30.2	60		
65	40.4	30.4	37.4	29.8	65		
70	39.6	29.8	36.8	29.6	70		
75	39	29.2	36.4	29.2	75		
80	38.2	28.6	35.8	28.6	80		
85	37.6	28	35.4	28.2	85		
90	36.8	27.6	34.4	27.6	90		
95	36	26.8	34	27	95		
100	35.2	25.8	34	26	100		
105	34.4	24.8	33.6	25	105		
110	33.4	24.6	33	24.6	110		
115	32.6	24.2	32.6	24.4	115		
120	31.6	23.8	32	24	120		
125	30.8	23.6	31	23.8	125		
130	30	23.4	30.2	23.6	130		
135	28.6	23.2	28.6	23.4	135		
140	27.2	23	26.8	23	140		
145	25.8	22.8	25.2	22.8	145		
150	24.6	22.6	24.2	22.8	150		
155	23.6	22.4	23	22.6	155		
160	22.4	22.2	22.2	22.2	160		
165	21	21.6	21.2	21.6	165		
170	20.2	20.4	20.2	20.8	170		
175	19.4	19.8	19	20	175		
180	18.8		17.8	18.6	180		
185	18.2		16.6	17.2	185		
190	17.4		15.4	16	190		
195			14.2		195		
200			13.2		200		
205			12.4		205		

Carry Decks
Boom Trucks
Rough Terrain Cranes
All Terrain Cranes
Truck Cranes
Crawler Cranes
Access Platforms
Fork Lifts

Call us (888) 972-7263




350 t | All Terrain Crane

179-197 ft	62 ft	220,400 lbs	28'6"x27'11" 100%	360°

ft	179		197		ft
	5°	30°	5°	30°	
40	19		18.4		40
45	18.4		18.2		45
50	17.6		17.6		50
55	17		17		55
60	16.2		16.2		60
65	15.6		15.8		65
70	15	10	15.2		70
75	14.4	9.8	14.6	9.8	75
80	14	9.6	14.2	9.6	80
85	13.6	9.4	13.8	9.4	85
90	13	9.2	13.2	9.4	90
95	12.6	9.2	13	9.2	95
100	12.2	9	12.6	9	100
105	11.8	8.8	12.2	8.8	105
110	11.6	8.6	11.8	8.8	110
115	11.2	8.6	11.6	8.6	115
120	11	8.4	11.2	8.6	120
125	10.6	8.4	11	8.4	125
130	10.4	8.2	10.6	8.4	130
135	10.2	8.2	10.4	8.2	135
140	10	8	10.2	8.2	140
145	9.6	8	10	8	145
150	9.4	7.8	9.8	8	150
155	9.2	7.8	9.6	7.8	155
160	9	7.8	9.4	7.8	160
165	8.8	7.6	9.2	7.8	165
170	8.8	7.6	9	7.6	170
175	8.6	7.6	8.8	7.6	175
180	8.4	7.6	8.6	7.6	180
185	8.2	7.4	8.6	7.6	185
190	8.2	7.4	8.4	7.6	190
195	8	7.4	8.2	7.4	195
200	7.8	7.4	8.2	7.4	200
205	7.8		8	7.4	205
210	7.6		8	7.4	210
215	7.6		7.8	7.4	215
220	7.6		7.8	7.4	220
225	7.4		7.6		225
230			7.6		230
235			7.4		235
240			7.4		240

Working range



Fork Lifts Access Platforms Crawler Cranes Truck Cranes All Terrain Cranes Rough Terrain Cranes Boom Trucks Carry Decks

Call us (888) 972-7263




350 t | All Terrain Crane

197 ft	62-194 ft	220,400 lbs	28'6"x27'11"	360°
100%				

ft	62		89		115		141		167		194 3°	ft
	3°	25°	3°	25°	3°	25°	3°	25°	3°	25°		
50	29.2											50
55	29.2	28.6	21.2									55
60	29.2	28.6	21.2		16.4							60
65	29.2	28.6	21.2		16.4							65
70	29.2	28.6	21.2		16.4		11.6					70
75	29.2	28.6	21.2	20.6	16.4		11.6		9.2			75
80	29.2	28.6	21.2	20.6	16.4		11.6		9.2		4.8	80
85	29.2	28.6	21.2	20.6	16.4		11.6		9.2		4.8	85
90	29.2	28.6	21.2	20.6	16.4		11.6		9.2		4.8	90
95	28.6	27.8	21.2	20.6	16.4	16.2	11.6		9.2		4.8	95
100	27.6	26.8	21.2	20.2	16.4	16.2	11.6		9.2		4.8	100
105	26.4	25.4	20.8	19.6	16.4	16.2	11.6	12.2	9.2		4.8	105
110	25.4	23.8	20.2	19	16.4	15.6	11.6	12.2	9.2		4.8	110
115	24.2	22.8	19.6	18.4	16.2	15.2	11.6	12.2	9.2	9.4	4.8	115
120	23	22	19	17.8	15.6	14.6	11.6	12.2	9.2	9.4	4.8	120
125	21.8	21.2	18.2	17.4	15.2	14.2	11.6	12	9.2	9.4	4.8	125
130	20.6	20.4	17.6	16.8	14.6	13.8	11.6	11.6	9.2	9.2	4.8	130
135	19.8	19.8	17	16.4	14.2	13.2	11.6	11.2	9	9	4.8	135
140	19.2	19.2	16.4	15.8	13.8	12.8	11.2	10.8	8.8	8.8	4.8	140
145	18.6	18.6	16	15.4	13.2	12.6	11	10.6	8.6	8.6	4.8	145
150	18	17.8	15.4	15	12.8	12.2	10.6	10.2	8.4	8.2	4.8	150
155	17.2	17.2	14.8	14.6	12.4	11.8	10.2	9.8	8	8	4.8	155
160	16.6	16.6	14.2	14.2	12	11.4	9.8	9.6	7.8	7.8	4.8	160
165	16	16	13.8	13.6	11.6	11	9.4	9.2	7.6	7.6	4.8	165
170	15.2	15.2	13.4	13.2	11.2	10.8	9	8.8	7.2	7.4	4.8	170
175	14.6	14.6	12.8	12.8	10.8	10.4	8.8	8.6	7	7	4.6	175
180	13.8	14	12.4	12.4	10.4	10.2	8.4	8.4	6.8	6.8	4.4	180
185	13.2	13.4	12	12	10.2	9.8	8.2	8	6.4	6.6	4.2	185
190	12.6	12.6	11.6	11.6	9.8	9.6	7.8	7.8	6.2	6.2	4.2	190
195	11.8	12	11	11.2	9.4	9.2	7.6	7.4	5.8	6	4	195
200	10.8	11.2	10.6	10.8	9.2	9	7.2	7.2	5.6	5.8	3.8	200
205	9.8	10.2	10.2	10.4	8.8	8.8	7	7	5.4	5.6	3.6	205
210	9	9.2	9.6	10	8.4	8.4	6.8	6.8	5.2	5.4	3.4	210
215	8	8.2	9.2	9.4	8.2	8.2	6.6	6.6	5	5.2	3.2	215
220	7.2	7.4	8.4	9	7.8	8	6.4	6.4	4.8	4.8	3	220
225	6.4		7.6	8.4	7.6	7.6	6	6.2	4.6	4.6	2.8	225
230	5.6		6.8	7.4	7.2	7.4	5.8	5.8	4.4	4.4	2.6	230
235	4.8		6	6.6	6.6	7	5.6	5.6	4.2	4.2		235
240	3.8		5.2	5.8	6	6.8	5.4	5.4	4	4.2		240
245			4.6	5	5.2	6.4	5.2	5.2	3.8	4		245
250			4		4.6	5.6	4.8	5	3.6	3.8		250
255			3.2		4	5	4.2	4.8	3.4	3.6		255
260			2.6		3.4	4.2	3.6	4.6	3.2	3.4		260
265					2.8	3.6	3	4.2	3	3.2		265
270								3.6	2.6	3		270
275								2.8		2.8		275
280										2.6		280

Working range



Fork Lifts Access Platforms Crawler Cranes Truck Cranes All Terrain Cranes Rough Terrain Cranes Boom Trucks Carry Decks






Call us (888) 972-7263

350 t | All Terrain Crane



51-69 ft	69-200 ft	220,400 lbs	28'6"x27'11"	360°
82°			100%	

ft	51						69						ft
	69	95	121	148	174	200	69	95	121	148	174	200	
30	121												30
35	121						114						35
40	119	88					114	79					40
45	103	88					114	79					45
50	88	88	62	43.8			102	78	56				50
55	75	84	62	43.8			88	78	56	39.6			55
60	63	76	61	43.6	31.6		74	78	55	39.6			60
65	52	67	61	43.4	31.4		62	75	55	39.6			65
70		60	59	43.2	31	21.6	50	68	55	39.2	28.2	19.8	70
75		54	56	43	30.4	21.2		60	55	39	28.2	19.8	75
80		47	53	42.6	30.2	20.8		53	54	39	28	19.6	80
85		41.4	48	42.4	29.8	20.4		47	51	38.8	27.8	19.4	85
90		35.4	44	42	29.4	19.6		40.8	48	38.4	27.4	19.4	90
95			40	40.6	28.8	19			45	38.4	27.4	18.8	95
100			36.2	38.6	28.4	18.4			40.6	37.8	27	18	100
105			32.4	36.4	27.6	17.6			36.4	36.2	26.6	17.6	105
110			29	33.6	26.8	17.2			32.6	34.8	26	17	110
115			25.6	31	26	16.6			28.8	33.2	25.4	16.4	115
120				28.4	25.4	15.8				31.4	24.4	15.8	120
125				25.6	24.6	15.4				29	23.8	15.2	125
130				23.4	23.8	14.8				26.2	23.4	14.8	130
135				21.2	22.8	14.2				23.8	22.8	14.2	135
140					22	13.8				21.4	22.2	13.8	140
145					21	13.4					21.6	13.4	145
150					19.2	13					20.4	13	150
155					17.4	12.6					18.8	12.6	155
160					15.6	12.2					17.4	12.2	160
165						11.8					16	11.8	165
170						11.6					14.2	11.6	170
175						11.2						11.2	175
180						10.6						10.8	180
185						10.2						10.4	185
190						10						10.2	190
195												9.8	195

    														
87-105 ft 82°				69-200 ft				220,400 lbs		28'6" x 27'11"			360°	
100%														
ft	87						105						ft	
	69	95	121	148	174	200	69	95	121	148	174	200		
40	99						84						40	
45	99						84						45	
50	99	69					84	60					50	
55	96	69	50				84	60	43				55	
60	88	69	50	35.8			84	60	43	31			60	
65	74	69	49	35.6			84	60	43	31			65	
70	61	69	49	35.6	25.8		74	60	43	31			70	
75		65	49	35.4	25.6	17.8		60	42.8	31	22.2		75	
80		59	49	35.2	25.4	17.6		59	42.8	30.8	22	15.2	80	
85		53	49	35	25.4	17.6		59	42.8	30.8	22	15.2	85	
90		47	49	35	25.2	17.4		53	42.6	30.6	21.8	15.2	90	
95		40.4	47	34.8	25	17.4		47	42.6	30.6	21.8	15.2	95	
100			43.8	34.6	24.6	17.4			42.4	30.6	21.8	15.2	100	
105			40.6	34.2	24.2	16.8			42.4	30.4	21.6	15	105	
110			36.6	33.6	24	16.4			39	30.4	21.4	14.8	110	
115			32.8	32.8	23.6	16			35.6	30.2	21.2	14.8	115	
120			28.6	32.4	23	15.6			32.2	30	21.2	14.6	120	
125				31.6	22.6	15.2				29.8	21	14.6	125	
130				29.2	22.4	14.6				28.2	20.8	14.4	130	
135				26.6	22	14.2				26.6	20.4	14	135	
140				24.2	21.4	14				24.8	20.2	13.8	140	
145				21.8	21.2	13.6				23.2	19.8	13.4	145	
150				18.8	20.6	13				21.4	19.6	12.8	150	
155					20.2	12.8					19.4	12.6	155	
160					19.2	12.4					19	12.2	160	
165					17.8	12					18.4	11.8	165	
170					16	11.8					17.2	11.6	170	
175					13.8	11.4					15.8	11.2	175	
180						11						11	180	
185						11						10.8	185	
190						10.6						10.4	190	
195						10.2						10.2	195	
200												10	200	

Carry Decks
Boom Trucks
Rough Terrain Cranes
All Terrain Cranes
Truck Cranes
Crawler Cranes
Access Platforms
Fork Lifts






Call us (888) 972-7263



350 t | All Terrain Crane

123-141 ft	69-200 ft	220,400 lbs	28'6"x27'11"	360°
82°			100%	

ft	123						141						ft
	69	95	121	148	174	200	69	95	121	148	174	200	
45	67												45
50	67						51						50
55	67	49					51	37.8					55
60	67	49	36				51	37.8	28				60
65	67	49	36				51	37.8	28				65
70	67	49	36	26.6			51	37.8	28				70
75	67	49	36	26.6	19		51	37.8	28	21			75
80		49	36	26.6	19	12.8		37.8	28	21	14.4		80
85		49	36	26.6	19	12.8		37.8	28	21	14.4		85
90		48	36	26.6	19	12.8		37.8	28	21	14.4	9.2	90
95		46	36	26.4	19	12.8		37.8	28	21	14.4	9.2	95
100		43.6	36	26.4	19	12.8		37.8	28	21	14.4	9.2	100
105			36	26.4	19	12.8			28	21	14.4	9.2	105
110			36	26.4	18.8	12.8			28	21	14.4	9.2	110
115			36	26.4	18.8	12.8			28	21	14.4	9.2	115
120			35.4	26.2	18.8	12.6			28	21	14.4	9.2	120
125			32	26.2	18.6	12.6			28	21	14.4	9.2	125
130			28.6	26	18.6	12.6			28	21	14.4	9.2	130
135				25.2	18.4	12.6				21	14.4	9.2	135
140				24.2	18.4	12.4				21	14.4	9.2	140
145				23.2	18	12.2				21	14.4	9.2	145
150				22	17.8	12.2				21	14.4	9.2	150
155				21	17.8	12				21	14.4	9.2	155
160					17.6	11.8					14.4	9.2	160
165					17.2	11.6					14.4	9.2	165
170					16.6	11.2					14.4	9.2	170
175					16	11.2					14.4	9.2	175
180					15.2	10.8					14.4	9.2	180
185						10.4						9.2	185
190						10.4						9.2	190
195						10						9.2	195
200						10						9.2	200
205												9.2	205

    												
160-178 ft 82°			69-200 ft				220,400 lbs		28'6" x 27'11"			360°
100%												
ft	160						178					ft
	69	95	121	148	174	200	69	95	121	148	174	
50	37.8											50
55	37.8						29.2					55
60	37.8	28.6					29.2	21.6				60
65	37.8	28.6					29.2	21.6				65
70	37.8	28.6	21.4				29.2	21.6	15.8			70
75	37.8	28.6	21.4	15.8			29.2	21.6	15.8	11.2		75
80	37.8	28.6	21.4	15.8	10.6		29.2	21.6	15.8	11.2		80
85	37.8	28.6	21.4	15.8	10.6		29.2	21.6	15.8	11.2		85
90		28.6	21.4	15.8	10.6	6.2		21.6	15.8	11.2	6.8	90
95		28.6	21.4	15.8	10.6	6.2		21.6	15.8	11.2	6.8	95
100		28.6	21.4	15.8	10.6	6.2		21.6	15.8	11.2	6.8	100
105		28.6	21.4	15.8	10.6	6.2		21.6	15.8	11.2	6.8	105
110		28.6	21.4	15.8	10.6	6.2		21.6	15.8	11.2	6.8	110
115			21.4	15.8	10.6	6.2			15.8	11.2	6.8	115
120			21.4	15.8	10.6	6.2			15.8	11.2	6.8	120
125			21.4	15.8	10.6	6.2			15.8	11.2	6.8	125
130			21.4	15.8	10.6	6.2			15.8	11.2	6.8	130
135			21.4	15.8	10.6	6.2			15.8	11.2	6.8	135
140				15.8	10.6	6.2				11.2	6.8	140
145				15.8	10.6	6.2				11.2	6.8	145
150				15.8	10.6	6.2				11.2	6.8	150
155				15.8	10.6	6.2				11.2	6.8	155
160					10.6	6.2				11.2	6.8	160
165					10.6	6.2					6.8	165
170					10.6	6.2					6.8	170
175					10.6	6.2					6.8	175
180					10.6	6.2					6.8	180
185					10.6	6.2					6.8	185
190					10.6	6.2					6.8	190
195						6.2						195
200						6.2						200
205						6.2						205
210						6.2						210
215						6.2						215

 Carry Decks
 Boom Trucks
 Rough Terrain Cranes
 All Terrain Cranes
 Truck Cranes
 Crawler Cranes
 Access Platforms
 Fork Lifts

Call us (888) 972-7263

350 t | All Terrain Crane

