



70 t Crawler Crane



Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes


Truck Cranes





Crawler Cranes

Access Platforms

Fork Lifts

Working range



   										
37.5-111.5 ft		30,000 lbs				15'8" 100%		360°		
ft	37.5**	37.5	42	49	61	73	86	99	111.5	ft
10	140	120	90	86	79*					10
12	124.6	100	88	84	72.6*					12
15	98.3	90	83	78	71.5	48	44*			15
20	72	72	71.7	71.3	66.5	43	40	38.1*		20
25		51	50.5	49.9	49.2	41	39	36	35*	25
30		37.8	37.4	36.9	36.3	37.3	34.5	31.5	30.8	30
35			29.2	28.7	28.1	29.1	29.8	27	26.3	35
40				23	22.5	23.4	24.1	24	21.7	40
45				20.9	18.3	19.2	19.9	20.4	19	45
50					15.2	16	16.7	17.1	16.9	50
55					13	13.9	14.1	14.2	14.3	55
60						11.9	12	12.1	12.2	60
65						9.8	9.9	10	10.1	65
70							8.1	8.2	8.4	70
75							7.3	7.4	7.5	75
80							6.6	6.7	6.9	80
85								6.3	6.4	85
90								5.6	5.7	90
95								4.9	5.2	95
100									4.6	100
105									4	105





\* Capacity based on maximum obtainable boom angle  
 \*\* no travel

 Carry Decks  
 Boom Trucks  
 Rough Terrain Cranes  
 All Terrain Cranes  
 Truck Cranes  
 Crawler Cranes  
 Access Platforms  
 Fork Lifts

Call us (888) 972-7263



## 70 t | Crawler Crane

    						
67.5-129 ft		30 ft + 20 ft Jib		30,000 lbs	15'8" 100%	360°
°	30			30 + 20		°
	67.5-129	>129	0°	15°	30°	
78°	18	18	6.6	4	2.2	78°
75°	13.6	13.6	6.3	4	2.1	75°
72°	11.5	11.5	5.6	3.5	2	72°
70°	10.1	10.1	5.1	3.2	1.9	70°
68°	8.9	8.9	4.6	3	1.8	68°
65°	8	8	4.2	2.8	1.8	65°
62°	7.2	7.2	3.9	2.6	1.7	62°
60°	6.7	6.7	3.5	2.4	1.7	60°
58°	6.1	6.1	3.2	1.9	1.4	58°
55°	5.8	5.8	2.6	1.3	1	55°
52°	5.3	5.3	2	0.6	0.4	52°
50°	5.1	5.1	1.5	0.3	0.2	50°
48°	4.9	4.6				48°
45°	4.6	4				45°