






110 t All Terrain Crane



\* ± 0'-4"



v > 15.5 mph (25 km/h)  
v < 15.5 mph (25 km/h)

\*\* 445/95 R 25 (16.00 R25)  
\*\*\* 525/80 R 25 (20.50 R25)

Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes

Access Platforms


Fork Lifts





Call us (888) 972-7263

110 t | All Terrain Crane



### Working range









   														
36.4-168 ft      49,604 lbs      28'1"x23'7"      360° 100%														
ft	36.4*	36.4	48.5	60.6	72.6	84.7	96.8	108.9	120.9	133	145.1	157.2	168	ft
7.5	220.5**													7.5
8	198.4**													8
10	179.9**	167.8**	143.3	143.3										10
12	164.5	154.1	143.3	143.3	110.2									12
13	150.6	141.3	140	135.4	110.2	91								13
15	138.2	130.1	129	125	110.2	91								15
16	127.4	120.4	119	116.2	110.2	86.4	69.7							16
20	110.2	104.1	102.7	103.2	101.2	76.9	69.7	52.5						20
23	93.7	90.8	89.7	89.9	89.9	72.8	63.7	52.5	43.4	34.8				23
26	80.7	78.3	78	78.3	78.9	68.6	62.8	52.5	43.4	34.8	28.4			26
30	54.9	52.9	68.8	69.2	69.7	64.8	62.8	49.8	43.4	34.8	28.4	22.5		30
33			61.3	61.7	62.2	61.7	62.8	46.1	43.2	34.8	28.4	22.5	19.6	33
36			52.5	52.7	54.5	57.1	56.2	42.8	40.1	34.8	28.4	22.5	19.6	36
39			45.4	49.2	50.5	49.8	48.9	39.7	37.5	34.8	28.4	22.5	19.6	39
46				39.7	39.7	39.2	38.4	35.7	32.8	31.1	28.4	22.5	19.6	46
53				32.2	32.4	32	31.1	32.2	29.1	27.8	26	22.5	19.6	53
59					27.1	26.7	25.8	26.9	25.8	24.9	23.8	22	19.6	59
66					21.2	22.7	21.8	22.7	23.1	21.4	21.6	20.1	18.7	66
72						19.4	18.7	19.6	19.8	19.2	19.6	18.5	16.8	72
79							17.2	17	17.4	17.4	17.2	16.5	15.2	79
85							16.1	14.8	15.9	15.4	15	14.3	13.7	85
92								13.4	14.1	13.4	13.2	12.6	12.3	92
98								12.6	12.6	12.1	11.7	11	11	98
105									11.2	10.6	10.4	9.5	9.5	105
112									10.1	9.5	9	8.4	8.4	112
118										8.4	7.9	7.3	7.3	118
125										7.5	7.1	6.4	6.2	125
131											6.2	5.5	5.5	131
138											5.5	4.6	4.6	138
144												4	4	144
151													3.3	151
158													2.9	158

\* over rear  
 \*\* with additional equipment

Carry Decks  
 Boom Trucks  
 Rough Terrain Cranes  
 All Terrain Cranes  
 Truck Cranes  
 Crawler Cranes  
 Access Platforms  
 Fork Lifts

Working range



 108.9-168 ft  32.8 ft  49,604 lbs  28'1"x23'7"  360°										
100%										
ft	0°	108.9 20°	40°	0°	157.2 20°	40°	0°	168 20°	40°	ft
23	22.3									23
26	22.3									26
30	22.3									30
33	22.3	19.8								33
36	22.3	19		10.8						36
39	22.3	18.3		10.8			9.7			39
46	20.5	16.8	14.8	10.8			9.7			46
53	18.7	15.7	13.9	10.8	10.8		9.7	9.7		53
59	17.4	14.8	13.2	10.8	10.8	10.4	9.7	9.7		59
66	16.3	13.9	12.6	10.8	10.6	9.9	9.7	9.7	9.3	66
72	15.2	13.2	12.1	10.8	10.1	9.5	9.7	9.5	8.8	72
79	14.3	12.6	11.5	10.4	9.7	9	9.7	9	8.6	79
85	13.7	12.1	11.2	9.9	9.3	8.6	9	8.6	8.2	85
92	11.7	11.5	10.8	9.5	8.8	8.4	8.6	8.4	7.9	92
98	10.1	10.8	10.6	8.8	8.6	7.9	8.2	7.9	7.7	98
105	8.8	9.3	9.7	8.4	8.2	7.7	7.7	7.5	7.3	105
112	7.5	7.9		7.9	7.9	7.5	7.5	7.3	7.1	112
118	6.4	6.8		6.8	7.3	7.3	6.6	6.8	6.8	118
125	5.5	5.7		5.7	6.4	6.8	5.7	6.2	6.6	125
131	4.9			4.9	5.5	5.7	4.9	5.3	5.7	131
138				4.2	4.6	4.9	4	4.6	4.9	138
144				3.5	4	4.2	3.3	3.7	4	144
151				2.9	3.3		2.6	3.1	3.3	151
158				2.4	2.6		2.2	2.4		158
164				1.8	2		1.8	2		164
171				1.3	1.5		1.1	1.5		171

Carry Decks  
Boom Trucks  
Rough Terrain Cranes  
All Terrain Cranes  
Truck Cranes  
Crawler Cranes  
Access Platforms  
Fork Lifts

Call us (888) 972-7263

110 t | All Terrain Crane



108.9-168 ft	59.1 ft	49,604 lbs	28'1"x23'7"	360°	
100%					

ft	0°	108.9 20°	40°	0°	157.2 20°	40°	0°	168 20°	40°	ft
26	9.3									26
30	9.3									30
33	9.3									33
36	9.3									36
39	9.3			6.4						39
46	9.3			6.4			6			46
53	9.3	9.3		6.4			6			53
59	9.3	9		6.4			6			59
66	9.3	8.6	7.1	6.4	6.4		6			66
72	9.3	8.4	6.8	6.4	6.4		6	6		72
79	9.3	7.9	6.6	6.4	6.4		6	6		79
85	9.3	7.7	6.4	6.4	6.4	6.4	6	6	6	85
92	9	7.5	6.2	6.4	6.4	6.2	6	6	5.7	92
98	8.6	7.3	6	6.4	6.4	6	6	6	5.7	98
105	8.4	7.1	5.7	6.4	6	5.7	6	5.7	5.5	105
112	7.9	6.8	5.7	6.4	6	5.5	6	5.5	5.3	112
118	7.7	6.6	5.5	6.2	5.7	5.3	6	5.3	5.1	118
125	6.6	6.4	5.5	6	5.5	5.3	5.7	5.1	4.9	125
131	5.7	6.4	5.5	5.5	5.3	5.1	5.3	5.1	4.9	131
138	5.1	5.7		4.9	5.1	4.9	4.6	4.9	4.6	138
144	4.4	4.9		4.2	4.9	4.9	4	4.6	4.6	144
151	3.7	4.2		3.5	4.2	4.6	3.3	4	4.4	151
158	3.3			2.9	3.5	4	2.6	3.3	4	158
164				2.4	2.9	3.3	2.2	2.9	3.3	164
171				2	2.4	2.6	1.8	2.2	2.6	171
177				1.5	2		1.3	1.8	2	177
184					1.5			1.3		184