



75 t All Terrain Crane



*± 4"




- 1) 385/95 R 25 (14.00 R25)
- 2) 445/95 R 25 (16.00 R25)
- 3) 525/80 R 25 (20.5 R25)





Call us (888) 972-7263

75 t | All Terrain Crane



Working range



														
		36.4-170.9 ft		36,376 lbs		25'11"x21' 100%		360°						
ft	36.4*	36.4	48.1	60.7	73.2	85.8	98.3	110.9	123.4	136	148.5	161.1	170.9	ft
8	154.3	127.2												8
10	130.7	115.7	111.1	108										10
12	119.9	106.3	101.9	98.8	88									12
13	110.7	97.9	93.9	91	88	67.9								13
15	97.4	90.6	87.3	84.4	82.5	63.3	52.7							15
16	87.1	82.5	82	78.7	76.9	59.3	52.7	38.8						16
20	71.2	69	69.4	68.8	68.1	57.8	50.3	41	31.3					20
23	60	59.1	59.3	58.6	59.3	57.3	45.9	41	31.3	23.4				23
26	51.6	50.9	51.4	50.7	51.4	51.8	45	38.8	31.3	23.4	18.3			26
30			45.4	44.1	44.8	45.2	41.9	36.2	31.3	23.4	18.3	15		30
33			40.1	38.8	40.6	39.9	39.2	33.3	29.3	23.4	18.3	15	12.8	33
39			31.7	32.6	32.4	32.4	32.6	28.4	25.8	23.4	18.3	15	12.8	39
46				25.1	25.8	26	25.4	24.5	22.9	20.9	18.3	15	12.8	46
53				19.8	21.2	20.9	20.1	19.6	20.1	18.7	17.4	15	12.8	53
59					17.4	17	16.8	17.2	16.3	16.3	15.7	14.6	12.8	59
66					14.1	14.1	15	14.3	13.7	13.4	13.9	13.2	12.6	66
72						13	12.6	11.9	12.3	12.1	11.5	11.7	11.7	72
79						8.4	10.8	10.8	10.6	10.4	10.4	9.7	9.9	79
85							9.3	9.7	9	8.8	8.8	8.2	8.4	85
92								8.4	8.4	7.9	7.5	7.1	7.1	92
98								7.3	7.3	6.8	6.4	6	6	98
105									6.2	6	5.5	4.9	5.1	105
112									5.5	5.1	4.9	4.2	4.2	112
118										4.4	4	3.5	3.5	118
125										3.7	3.3	2.9	2.9	125
131											2.9	2.2	2.2	131
138											2.4	1.8	1.8	138
144												1.3	1.3	144

* Over rear

Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes

Access Platforms


Fork Lifts

Call us (888) 972-7263

75 t | All Terrain Crane



Working range





																	Carry Decks
																	Boom Trucks
																	Rough Terrain Cranes
																	All Terrain Cranes
																	Truck Cranes
																	Crawler Cranes
																	Access Platforms
																	Fork Lifts
		99.2-170.9 ft			29.5 ft			36,376 lbs			25'11"x21' 100%			360°			
ft	0°	99.2 20°	40°	0°	136.8 20°	40°	0°	148.5 20°	40°	0°	161.1 20°	40°	0°	170.9 20°	40°	ft	
15	22.7															15	
16	22.7															16	
20	22.7															20	
23	22.7															23	
26	22.7	19.4		12.6			9.3									26	
30	22.7	19.4		12.6			9.3			7.7						30	
33	22.7	19.4		12.6			9.3			7.7			5.3			33	
39	22.3	19.4	17.2	12.6	12.6		9.3	9.3		7.7	7.7		5.3			39	
46	19.8	19	16.5	12.6	11.7	11	9.3	9.3	8.4	7.7	7.7		5.3	5.3		46	
53	17.9	17.2	16.1	11.7	10.8	10.1	9.3	8.8	7.7	7.7	7.5	6.8	5.3	5.3	5.3	53	
59	15.7	15.7	15.4	10.8	9.9	9.5	9.3	8.2	7.5	7.7	7.1	6.4	5.3	5.3	5.3	59	
66	12.8	13.7	14.1	9.9	9.3	8.8	8.8	7.7	7.1	7.5	6.6	6.2	5.3	5.3	5.3	66	
72	10.4	11.2	11.9	9.3	8.6	8.4	8.4	7.3	6.8	7.1	6.2	5.7	5.3	5.3	5.3	72	
79	8.6	9.3	9.7	8.4	8.2	7.7	7.7	7.1	6.4	6.6	6	5.5	5.3	5.3	5.3	79	
85	7.1	7.7	8.2	7.3	7.7	7.3	7.3	6.6	6.2	6.2	5.5	5.3	5.3	5.3	5.1	85	
92	5.7	6.4	6.6	6	6.6	7.1	6.4	6.4	6	6	5.3	5.1	5.3	5.1	4.9	92	
98	4.9	5.1	5.3	4.9	5.5	5.7	5.3	6	5.7	5.5	5.1	4.9	5.3	4.9	4.6	98	
105	3.7	4.2		4	4.4	4.9	4.4	4.9	5.3	4.9	4.9	4.6	4.6	4.6	4.4	105	
112	3.1	3.3		3.1	3.5	3.7	3.5	4	4.4	4	4.4	4.4	4	4.4	4.2	112	
118	2.4			2.4	2.9	3.1	2.9	3.3	3.5	3.3	3.5	4	3.1	3.5	4	118	
125				1.8	2.2	2.2	2.2	2.6	2.9	2.6	2.9	3.1	2.4	2.9	3.1	125	
131					1.5	1.5	1.8	2	2.2	2	2.4	2.4	2	2.2	2.4	131	
138								1.5	1.5		1.8	2		1.8	2	138	
144												1.3				144	

Call us (888) 972-7263

75 t | All Terrain Crane



99.2-170.9 ft	52.5 ft	36,376 lbs	25'11"x21' 100%	360°

ft	99.2			136.8			148.5			161.1			170.9			ft
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	
20	11.5															20
23	11.5															23
26	11.5															26
30	11.5			7.1			6.2									30
33	11.5			7.1			6.2			5.3						33
39	11.5	10.6		7.1			6.2			5.3			3.7			39
46	11.5	9.9		7.1			6.2			5.3			3.7			46
53	11.5	9.5	8.2	7.1	7.1		6.2	6.2		5.3			3.7			53
59	11.5	9	7.7	7.1	7.1		6.2	6.2		5.3	5.3		3.7	3.7		59
66	10.8	8.6	7.5	7.1	7.1	7.1	6.2	6	5.1	5.3	5.1		3.7	3.7		66
72	10.1	8.2	7.3	7.1	7.1	7.1	6.2	5.5	4.9	5.3	4.9	4.2	3.7	3.7	3.7	72
79	9.5	7.9	7.1	7.1	7.1	6.6	6.2	5.3	4.6	5.3	4.6	4	3.7	3.7	3.7	79
85	7.9	7.7	6.8	7.1	6.6	6.2	6	5.1	4.4	5.1	4.2	4	3.7	3.7	3.7	85
92	6.6	7.3	6.6	6.6	6.2	6	5.5	4.9	4.2	4.6	4	3.7	3.7	3.7	3.5	92
98	5.5	6.6	6.6	5.5	5.7	5.5	5.3	4.6	4.2	4.4	4	3.5	3.7	3.7	3.3	98
105	4.6	5.5	6.2	4.6	5.5	5.3	4.9	4.4	4	4.2	3.7	3.3	3.7	3.5	3.3	105
112	3.7	4.6	5.1	3.7	4.6	5.1	4	4.2	3.7	4	3.5	3.3	3.7	3.3	3.1	112
118	3.1	3.7	4.2	3.1	3.7	4.4	3.3	4	3.7	3.5	3.3	3.1	3.3	3.3	2.9	118
125	2.4	3.1	3.3	2.4	3.1	3.5	2.6	3.3	3.5	2.9	3.3	3.1	2.6	3.1	2.9	125
131	2	2.4		1.8	2.4	2.9	2	2.6	3.1	2.2	2.9	2.9	2.2	2.9	2.6	131
138	1.5	1.8		1.3	1.8	2.2	1.5	2.2	2.4	1.8	2.4	2.6	1.5	2.2	2.6	138
144						1.5			2		1.8	2.2		1.8	2.2	144
151												1.5			1.5	151