







55 t Rough Terrain Crane



Working range



   								
35.1-113.9 ft		fix			22'11.8" x 22'11.6"		360°	
100%								
ft	35.1	48.2	61.4	74.5	87.6	100.7	113.9	ft
8	110							8
10	100.6	46.7	46.7	44.3				10
12	87.9	46.7	46.7	44.3	41.2			12
15	73.4	46.7	46.7	44.3	40.3	33		15
20	54.4	46.7	46.7	42.1	35.8	30.5	25.1	20
25	38.5	43	43	39.5	31.7	27.3	23.9	25
30		33.8	35	35.5	28.7	25	21.6	30
35		25.6	26.6	27	25.3	23	19.9	35
40		20.4	21.1	21.5	21.2	20.5	19	40
45			17.1	17.3	17.5	17.4	17.1	45
50			14.1	14.3	14.5	14.4	14.5	50
55				12	12.2	12.1	12.2	55
60				10.2	10.3	10.3	10.35	60
65				8.7	8.75	8.85	8.85	65
70					7.55	7.6	7.65	70
75					6.55	6.6	6.65	75
80					5.7	5.7	5.75	80
85						4.95	5	85
90						4.35	4.35	90
95							3.75	95
100							3.25	100
105							2.35	105

Carry Decks  
 Boom Trucks  
 Rough Terrain Cranes  
 All Terrain Cranes  
 Truck Cranes  
 Crawler Cranes  
 Access Platforms  
 Fork Lifts

Call us (888) 972-7263



55 t | Rough Terrain Crane

113.9 ft	28.9/50 ft	fix	22'11.8" x 22'11.6"	360°
100%				

°	ft	28.9 5°	ft	28.9 25°	ft	28.9 45°	ft	50 5°	ft	50 25°	ft	50 45°	°
80°	25.6	12.3	34.8	8.4	41.5	6.05	32.6	6.35	47.6	4.05	59.0	2.75	80°
77.5°	32.9	12	41.3	8	47.3	5.9	40.8	6.2	54.9	3.9	65.3	2.7	77.5°
75°	39.8	11.5	47.5	7.65	53.1	5.7	48.6	6.05	61.9	3.7	71.6	2.6	75°
72.5°	46.3	10.6	53.6	7.35	58.7	5.55	56.0	5.6	68.5	3.55	77.5	2.55	72.5°
70°	52.3	9.75	59.5	7.1	64.0	5.4	63.0	5.2	75.0	3.35	83.2	2.5	70°
67.5°	58.3	9.1	65.1	6.85	69.2	5.3	69.6	4.9	81.2	3.2	88.7	2.45	67.5°
65°	64.0	8.5	70.5	6.6	74.0	5.2	76.1	4.6	87.0	3.1	93.9	2.4	65°
62.5°	69.4	7.9	75.6	6.4	78.9	5.1	82.2	4.35	92.6	3	98.9	2.35	62.5°
60°	74.8	7.4	80.5	6.2	83.7	5.05	88.4	4.15	98.1	2.9	103.8	2.35	60°
57.5°	79.5	6.5	85.5	5.7	88.2	5	94.4	3.95	103.6	2.8	108.4	2.3	57.5°
55°	84.0	5.65	90.0	5.2	92.5	4.95	100.0	3.8	108.7	2.7	112.6	2.3	55°
52.5°	88.8	5	94.1	4.6	96.2	4.45	105.4	3.5	113.3	2.65	116.7	2.25	52.5°
50°	93.1	4.4	98.2	4.1	99.7	3.95	110.2	3.15	117.9	2.6	120.3	2.25	50°
47.5°	97.4	3.95	102.1	3.7	103.3	3.55	114.8	2.75	121.9	2.4	124.0	2.2	47.5°
45°	101.4	3.5	105.6	3.3	106.6	3.15	119.3	2.4	125.7	2.15	127.1	2.1	45°
42.5°	105.3	3.15	109.1	2.95			123.3	2.1	129.3	1.9			42.5°
40°	109.0	2.8	112.3	2.65			127.0	1.85	132.7	1.7			40°
37.5°	112.6	2.5	115.5	2.4			131.1	1.6	135.7	1.5			37.5°
35°	115.8	2.25	118.2	2.2			134.4	1.4	138.5	1.3			35°
32.5°	118.7	2.05	120.9	2									32.5°
30°	121.6	1.85	123.3	1.8									30°
27.5°	124.1	1.7	125.3	1.65									27.5°
25°	126.3	1.6	127.1	1.55									25°