




350 t All Terrain Crane







* lowered



Working range




   																			
51.1-262.5 ft					203,900 lbs					28'5" x 27'9"					360°				
100%																			
ft	51.1	68.7	86.1	103.4	120.8	138.1	155.9	173.5	191.6	209.5	227.4	245.3	262.5	ft					
8	700*													8					
10	418	352												10					
15	348	324	304											15					
20	288	276	260	230	182									20					
25	244	240	230	217	178	139								25					
30	207	207	202	192	178	139	110	84						30					
35	172	178	177	171	167	139	110	84	64					35					
40		152	152	150	152	134	110	84	64	50	38.8			40					
45		134	132	130	132	124	106	84	64	50	38.8	31.6		45					
50		118	118	116	116	115	101	81	64	50	38.8	31.6	26.4	50					
55			106	105	103	105	95	75	64	50	38.8	31.6	26.4	55					
60			94	93	91	94	90	69	64	50	38.8	31.6	26.4	60					
65			85	84	82	84	84	64	59	50	38.8	31.6	26.4	65					
70			76	76	76	76	79	59	55	50	38.8	31.6	26.4	70					
75				69	71	69	72	55	52	48	38.8	31.6	26.4	75					
80				64	65	63	66	51	48	45	38.8	31.6	26.4	80					
85				61	60	58	60	47	44	42.4	38.8	31.6	26.4	85					
90				49	55	55	56	43.2	40.6	39.4	37.2	31.6	26.4	90					
95					51	52	51	40.4	37.8	36.6	35.4	31.6	26.4	95					
100					47	49	48	38.8	35.4	34.2	33.4	31.4	26.4	100					
105						46	44	37.4	32.8	31.8	31.6	30	26.4	105					
110						43	41	36.2	30.8	30	29.6	28.8	26.4	110					
115						40.2	38.2	35	28.8	28	27.8	27.4	26.4	115					
120						36.4	35.6	34	27	26.2	26	26	25.2	120					
125							33	33	25.4	24.6	24.6	24.6	24.2	125					
130							30.6	32	23.8	23	23	23.4	22.6	130					
135							29	30.6	22	21.2	21.2	21.6	20.8	135					
140								28.4	20	19.2	19.6	19.8	19.6	140					
145								26.6	18.2	18.2	18.8	18	18.6	145					
150								24.8	17.2	17.6	18	17	17.6	150					
155								21.4	16	17	17.2	16	16.8	155					
160									15	16.4	16.6	15	15.8	160					
165									14	15.8	16	14.4	14.8	165					
170									13.2	15.4	15.4	13.8	14	170					
175									11.8	14.8	14.8	13	13.2	175					
180										14.4	14.2	12.4	12.4	180					
185										14	13.8	12	11.8	185					
190										13.6	13.2	11.4	11	190					
195											12.8	10.8	10.4	195					
200											12.2	10.4	9.6	200					
205											11.8	9.8	9	205					
210												9.4	8.4	210					
215												9	8	215					
220												8.6	7.4	220					
225												7.4	6.8	225					
230													6.4	230					
240													4.8	240					






* Over rear with special equipment
 Loads greater than 376,000 lb can only be lifted with special equipment.

Carry Decks
 Boom Trucks
 Rough Terrain Cranes
 All Terrain Cranes
 Truck Cranes
 Crawler Cranes
 Access Platforms
 Fork Lifts

Working range





    									
245.3 ft		39.4/68.9 ft		203,900 lbs		28'5"x27'9" 100%		360°	
ft	5°	39.4 5°-20°	20°-40°	5°	68.9 5°-20°	20°-40°	ft		
55	18.6						55	Carry Decks	
60	18.6	18					60		
65	18.6	18					65		
70	18.6	18		11			70	Boom Trucks	
75	18.6	18	18	11			75		
80	18.6	18	17.8	11	11		80		
85	18.6	18	17.6	11	11		85		
90	18.6	18	17.6	11	11		90		
95	18.6	18	17.4	11	11		95		
100	18.6	18	17.2	11	11	9.6	100	Rough Terrain Cranes	
105	18.6	18	17.2	11	11	9.4	105		
110	18.6	18	17	11	11	9.4	110		
115	18.6	18	17	11	10.8	9.2	115		
120	18.6	18	16.8	11	10.6	9.2	120		
125	18.6	18	16.8	11	10.6	9.2	125		
130	18.6	18	16.6	11	10.4	9	130		
135	18.4	18	16.6	11	10.2	9	135	All Terrain Cranes	
140	17.8	17.6	16.4	11	10.2	9	140		
145	17	17	16.4	11	10	8.8	145		
150	16.2	16.2	16.2	11	9.8	8.8	150		
155	15.4	15.4	15.6	11	9.8	8.8	155		
160	14.6	14.6	15	11	9.6	8.8	160		
165	14	14	14.4	10.8	9.6	8.6	165		
170	13.4	13.4	13.6	10.6	9.4	8.6	170	Truck Cranes	
175	12.6	12.6	13	10.4	9.4	8.6	175		
180	11.8	11.8	12.4	10.4	9.2	8.6	180		
185	11	11	11.6	10.2	9.2	8.6	185		
190	10.4	10.4	11	10	9	8.6	190		
195	9.6	9.6	10.2	10	9	8.4	195		
200	9	9	9.6	9.6	9	8.4	200	Crawler Cranes	
205	8.6	8.6	8.8	9.4	8.8	8.4	205		
210	8.2	8.2	8.4	9	8.8	8.4	210		
215	7.8	7.8	8	8.4	8.4	8.4	215		
220	7.4	7.4		7.8	7.8	8.4	220		
225	7	7		7.4	7.4	8.2	225		
230	6.6	6.6		6.8	6.8	7.6	230		
235	6.2	6.2		6.4	6.4	7	235	Access Platforms	
240	5.8	5.8		6	6	6.6	240		
245	5.6	5.6		5.8	5.8		245		
250	5.2	5.2		5.4	5.4		250		
255	4.8	4.8		5.2	5.2		255		
260	4.4			4.8	4.8		260	Fork Lifts	
265				4.6	4.6		265		
270				4.2	4.2		270		
275				4	4		275		
280				3.8	3.8		280		
285				3.4	3.4		285		

Call us (888) 972-7263




350 t | All Terrain Crane

262.5 ft	39.4/68.9 ft	203,900 lbs	28'5"x27'9" 100%	360°

ft	39.4			68.9			ft
	5°	5°-20°	20°-40°	5°	5°-20°	20°-40°	
60	15	14.8					60
65	15	14.8					65
70	15	14.8		9.4			70
75	15	14.8		9.4			75
80	15	14.8	14.8	9.4	9.4		80
85	15	14.8	14.8	9.4	9.4		85
90	15	14.8	14.8	9.4	9.4		90
95	15	14.8	14.8	9.4	9.4		95
100	15	14.8	14.8	9.4	9.4		100
105	15	14.8	14.8	9.4	9.4	9.4	105
110	15	14.8	14.8	9.4	9.4	9.2	110
115	15	14.8	14.8	9.4	9.4	9.2	115
120	15	14.8	14.8	9.4	9.4	9.2	120
125	15	14.8	14.8	9.4	9.4	9	125
130	15	14.8	14.8	9.4	9.4	9	130
135	15	14.8	14.8	9.4	9.4	9	135
140	15	14.8	14.8	9.4	9.4	8.8	140
145	15	14.8	14.8	9.4	9.4	8.8	145
150	15	14.8	14.6	9.4	9.4	8.8	150
155	14.6	14.6	14.4	9.4	9.4	8.8	155
160	14.2	14.2	14.2	9.4	9.4	8.6	160
165	13.8	13.6	13.6	9.4	9.4	8.6	165
170	13.2	13.2	13.2	9.4	9.4	8.6	170
175	12.4	12.4	12.8	9.4	9.2	8.6	175
180	12	12	12.2	9.4	9.2	8.6	180
185	11.4	11.4	11.8	9.4	9.2	8.4	185
190	10.8	10.8	11.2	9.4	9	8.4	190
195	10.2	10.2	10.6	9.4	9	8.4	195
200	9.6	9.6	10	9.4	8.8	8.4	200
205	9	9	9.6	9.2	8.8	8.4	205
210	8.4	8.4	9	8.8	8.6	8.4	210
215	8	8	8.4	8.6	8.6	8.4	215
220	7.4	7.4	7.8	8.2	8.2	8.4	220
225	6.8	6.8	7.2	7.8	7.8	8	225
230	6.4	6.4		7.4	7.4	7.8	230
235	5.8	5.8		6.8	6.8	7.6	235
240	5.2	5.2		6.4	6.4	7.2	240
245	4.6	4.6		6	6	6.6	245
250	4	4		5.6	5.6	6.2	250
255	3.4	3.4		5	5	5.6	255
260	3	3		4.4	4.4		260
265	2.4	2.4		4	4		265
270	2	2		3.4	3.4		270
275				3	3		275
280				2.4	2.4		280
285				2	2		285

Working range








Carry Decks
Boom Trucks
Rough Terrain Cranes
All Terrain Cranes
Truck Cranes
Crawler Cranes
Access Platforms
Fork Lifts

Call us (888) 972-7263






350 t | All Terrain Crane



				
245.3 ft	95.1/121.4 ft	203,900 lbs	28'5" x 27'9" 100%	360°

ft	5°	95.1 5°-20°	20°-40°	5°	121.4 5°-20°	20°-40°	ft
75	8.4						75
80	8.4			5.6			80
85	8.4			5.6			85
90	8.4			5.6			90
95	8.4	8.4		5.6			95
100	8.4	8.4		5.6	5.6		100
105	8.4	8.4	7	5.6	5.6		105
110	8.4	8.2	7	5.6	5.6		110
115	8.4	8.2	7	5.6	5.6	4.4	115
120	8.4	8	7	5.6	5.6	4.4	120
125	8.4	8	7	5.6	5.6	4.4	125
130	8.4	7.8	7	5.6	5.4	4.4	130
135	8.2	7.8	7	5.6	5.4	4.4	135
140	8.2	7.6	7	5.6	5.4	4.4	140
145	8	7.6	7	5.4	5.2	4.4	145
150	8	7.6	7	5.4	5.2	4.4	150
155	7.8	7.4	7	5.4	5	4.4	155
160	7.8	7.4	7	5.2	5	4.4	160
165	7.6	7.2	7	5.2	5	4.4	165
170	7.6	7.2	6.8	5	4.8	4.4	170
175	7.6	7.2	6.8	5	4.8	4.4	175
180	7.4	7	6.8	5	4.8	4.4	180
185	7.4	7	6.6	4.8	4.6	4.4	185
190	7.2	6.8	6.6	4.8	4.6	4.4	190
195	7.2	6.8	6.6	4.8	4.6	4.4	195
200	7	6.6	6.4	4.6	4.4	4.4	200
205	7	6.6	6.4	4.6	4.4	4.4	205
210	6.8	6.4	6.4	4.6	4.4	4.4	210
215	6.8	6.4	6.4	4.4	4.4	4.4	215
220	6.6	6.2	6.2	4.4	4.2	4.4	220
225	6.6	6.2	6.2	4.4	4.2	4.4	225
230	6.4	6.2	6.2	4.2	4.2	4.4	230
235	6.4	6	6.2	4.2	4	4.2	235
240	6	6	6	4.2	4	4.2	240
250	5.2	5.4	6	4	4	4	250
255	4.8	5.2	5.6	4	4	4	255
260	4.6	5		4	3.8	4	260
265	4.4	4.6		3.8	3.8	4	265
270	4	4.4		3.6	3.6	3.8	270
275	3.8	4		3.4	3.6	3.8	275
280	3.6	3.8		3.2	3.6		280
285	3.2	3.6		3	3.4		285
290	3	3.2		2.8	3		290
295	2.8	3		2.6	2.8		295
300	2.6	2.6		2.2	2.6		300
305	2.2			2	2.4		305
310	1.8						310



    							
262.5 ft		95.1/121.4 ft		203,900 lbs	28'5" x 27'9"		360°
100%							
ft	5°	95.1 5°-20°	20°-40°	5°	121.4 5°-20°	20°-40°	ft
75	7.2						75
80	7.2						80
85	7.2						85
90	7.2			4.6			90
95	7.2	7.2		4.6			95
100	7.2	7.2		4.6	4.6		100
105	7.2	7.2		4.6	4.6		105
110	7.2	7.2		4.6	4.6		110
115	7.2	7.2	6.2	4.6	4.6		115
120	7.2	7.2	6.2	4.6	4.6	3.8	120
125	7.2	7.2	6.2	4.6	4.6	3.8	125
130	7.2	7.2	6.2	4.6	4.6	3.8	130
135	7.2	7.2	6.2	4.6	4.6	3.8	135
140	7.2	7.2	6.2	4.6	4.6	3.8	140
145	7.2	7.2	6.2	4.6	4.6	3.8	145
150	7.2	7	6.2	4.6	4.6	3.8	150
155	7.2	7	6.2	4.6	4.6	3.8	155
160	7.2	7	6.2	4.6	4.6	3.8	160
165	7.2	6.8	6.2	4.6	4.6	3.8	165
170	7.2	6.8	6.2	4.6	4.6	3.8	170
175	7	6.8	6.2	4.6	4.4	3.8	175
180	7	6.6	6.2	4.6	4.4	3.8	180
185	7	6.6	6.2	4.6	4.4	3.8	185
190	6.8	6.6	6.2	4.4	4.4	3.8	190
195	6.8	6.6	6.2	4.4	4.2	3.8	195
200	6.8	6.4	6.2	4.4	4.2	3.8	200
205	6.6	6.4	6.2	4.4	4.2	3.8	205
210	6.6	6.4	6.2	4.2	4.2	3.8	210
215	6.6	6.4	6.2	4.2	4	3.8	215
220	6.4	6.2	6.2	4.2	4	3.8	220
225	6.4	6.2	6.2	4.2	4	3.8	225
230	6.4	6	6.2	4	4	3.8	230
235	6.2	6	6	4	4	3.8	235
240	6	6	6	4	3.8	3.8	240
245	6	5.8	6	4	3.8	3.8	245
250	5.8	5.8	6	3.8	3.8	3.8	250
255	5.4	5.4	5.8	3.8	3.8	3.8	255
260	4.8	4.8	5.6	3.8	3.8	3.8	260
265	4.4	4.4	5	3.8	3.6	3.8	265
270	3.8	3.8		3.6	3.6	3.8	270
275	3.2	3.2		3.6	3.6	3.8	275
280	2.8	2.8		3	3	3.6	280
285	2.4	2.4		2.6	2.6		285
290	2	2		2.2	2.2		290

Carry Decks
Boom Trucks
Rough Terrain Cranes
All Terrain Cranes
Truck Cranes
Crawler Cranes
Access Platforms
Fork Lifts

Call us (888) 972-7263

350 t | All Terrain Crane

