





550 t All Terrain Crane




Fork Lifts | Access Platforms | Crawler Cranes | Truck Cranes | All Terrain Cranes | Rough Terrain Cranes | Boom Trucks | Carry Decks





Call us (888) 972-7263

550 t | All Terrain Crane



Working range



   													
53-197 ft													
264,500 lbs													
28'9"x29'2"													
100%													
360°													
ft	53	68	84	89	100	116	125	132	148	163	179	197	ft
8	788*												8
10	678	624											10
15	538	536	496	300									15
20	438	442	438	300	410	372	284						20
25	370	374	374	300	368	346	256	254					25
30	318	320	320	298	318	316	232	228	204	181			30
35	276	280	280	270	278	282	206	207	186	168	146		35
40	242	244	246	238	244	246	187	186	168	155	141	123	40
45		215	216	209	219	217	170	170	154	142	131	119	45
50		191	196	185	195	193	154	155	141	131	122	112	50
55			176	165	175	174	143	145	129	121	114	105	55
60			159	147	159	157	132	136	120	111	106	98	60
65			144	136	144	142	121	128	111	104	98	92	65
70			131	122	130	127	111	119	102	97	92	86	70
75				109	117	114	104	113	96	90	87	80	75
80					106	104	95	107	90	83	81	76	80
85					97	94	86	98	84	79	75	72	85
90						87	78	90	79	75	71	67	90
95						84	70	82	75	70	68	63	95
100						79	64	76	72	66	64	60	100
105							59	70	69	62	60	57	105
110							56	65	66	59	56	54	110
115								61	62	56	53	51	115
120									57	52	51	47	120
125									54	49	49	45	125
130									50	47	46	43.4	130
135										46	44	41.4	135
140										43.4	41.2	39.6	140
145										40.6	38.6	37.6	145
150										38.2	36	35.8	150
155											33.6	33.8	155
160											31.4	31.6	160
165												29.4	165
170												27.6	170
175												25.8	175
180												24.2	180

\* over rear, 20 ft outrigger span  
 Loads greater than 420,000 lbs can only be lifted with additional equipment


 Carry Decks  
 Boom Trucks  
 Rough Terrain Cranes  
 All Terrain Cranes  
 Truck Cranes  
 Crawler Cranes  
 Access Platforms  
 Fork Lifts





Call us (888) 972-7263

550 t | All Terrain Crane



Working range



   								
116-197 ft		352,700 lbs			28'9"x29'2"		360°	
100%								
ft	116	125	132	148	163	179	197	ft
20	352	270	330					20
25	324	254	310	298				25
30	298	242	280	268	222	213		30
35	274	230	258	244	211	200	167	35
40	242	219	240	226	200	186	158	40
45	222	209	219	212	190	175	149	45
50	200	195	197	193	181	164	142	50
55	182	180	181	175	172	154	134	55
60	166	167	166	163	161	146	127	60
65	153	153	153	152	147	138	121	65
70	140	141	140	139	138	130	115	70
75	129	130	129	128	127	124	110	75
80	120	120	120	119	118	116	104	80
85	111	112	111	110	109	108	100	85
90	104	104	104	103	102	100	96	90
95	97	97	97	96	95	93	91	95
100		91	91	90	89	87	87	100
105		86	85	84	83	82	82	105
110		73	80	79	78	77	77	110
115			71	75	73	72	72	115
120				70	69	68	68	120
125				67	65	63	64	125
130				58	61	60	60	130
135					58	56	56	135
140					54	53	53	140
145						49	50	145
150						46	47	150
155						43.6	44	155
160						38.4	41.4	160
165							39	165
170							36.8	170
175							33.8	175

Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes





Access Platforms

Fork Lifts


Call us (888) 972-7263

550 t | All Terrain Crane



   								
116-197 ft		264,500 lbs			28'9" x 29'2"		360°	
100%								
ft	116	125	132	148	163	179	197	ft
20	352	270	330					20
25	324	254	310	298				25
30	298	242	280	268	222	213		30
35	260	230	258	244	211	200	167	35
40	236	219	232	226	200	186	158	40
45	208	204	206	202	190	175	149	45
50	185	186	186	185	180	164	142	50
55	167	167	167	166	165	154	134	55
60	151	152	151	150	149	146	127	60
65	137	138	138	137	136	134	121	65
70	125	126	125	124	123	122	115	70
75	115	115	115	114	112	111	110	75
80	104	105	104	103	102	100	100	80
85	94	95	95	93	92	90	91	85
90	86	87	86	85	84	82	83	90
95	79	80	79	78	77	75	76	95
100		74	73	72	71	69	69	100
105		68	67	66	65	63	64	105
110		63	63	61	60	58	59	110
115			58	57	56	54	54	115
120				53	52	50	50	120
125				49	48	46	46	125
130				46	45	42.8	43	130
135					41.4	39.6	40	135
140					38.6	36.8	37.2	140
145						34.2	34.4	145
150						31.8	32	150
155						29.6	29.8	155
160						27.6	27.6	160
165							25.8	165
170							23.8	170
175							22.2	175

Working range




Call us (888) 972-7263



550 t | All Terrain Crane

163-179 ft	39.4-78.7 ft	352,700 lbs	28'9"x29'2" 100%	360°


ft	39.4	163 59.1	78.7	39.4	179 59.1	78.7	ft
40	114						40
45	107	86		100			45
50	100	81	66	94	78		50
55	95	77	63	88	74	62	55
60	90	73	61	83	69	59	60
65	85	69	58	79	65	56	65
70	81	65	55	74	62	52	70
75	77	62	52	71	58	50	75
80	73	59	49	68	55	48	80
85	69	56	47	65	52	45	85
90	67	53	45	62	50	43.2	90
95	64	51	43.2	59	48	41.4	95
100	62	49	41.4	56	46	39.8	100
105	59	47	39.4	54	43.8	38.2	105
110	57	45	38	52	42.2	36.6	110
115	55	43.4	36.8	49	40.8	35	115
120	53	41.8	35.4	47	39.4	33.6	120
125	51	40.2	34.2	46	37.8	32.2	125
130	49	39	32.8	44	36.4	30.8	130
135	47	37.8	31.4	43	35	29.4	135
140	46	36.6	30.4	41.6	33.8	28	140
145	45	35.4	29.2	40.2	32.4	26.6	145
150	43.4	34.2	28	38.8	31.2	25.8	150
155	40.8	33.2	27	37.8	29.8	25	155
160	38.2	32.4	25.8	36.8	28.6	24.2	160
165	35.6	31.4	24.6	35.8	27.4	23.6	165
170	33.4	30.6	23.8	34.4	26.6	22.8	170
175	31.2	29.8	23.2	32.2	26	22	175
180	29.2	28.8	22.6	30.2	25.2	21.4	180
185		28	22	28.2	24.6	20.8	185
190		27	21.4	26.4	23.8	20.2	190
195		25.4	20.8	24.6	23.2	19.6	195
200		23.6	20.2		22.8	19.2	200
205			19.8		22.2	18.6	205
210			19.4		21.2	18	210
215			19		19.8	17.6	215
220			18.4			17.2	220
225						16.8	225
230						16.4	230
235						16	235







Working range



Fork Lifts Access Platforms Crawler Cranes Truck Cranes All Terrain Cranes Rough Terrain Cranes Boom Trucks Carry Decks

Call us (888) 972-7263



550 t | All Terrain Crane

163 ft	39-230 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	39 3°	59 3°	79 3°	98 3°	118 3°	138 3°	151 3° 25°		171 3° 25°		190 3° 25°		210 3° 25°		230 3° 25°		ft
45	105																45
50	100	87															50
55	96	83	66														55
60	90	80	63	51													60
65	85	77	61	49													65
70	79	72	58	47	41.6												70
75	74	68	56	45	40	33.8	28.2										75
80	70	64	53	43.6	38.6	32.6	27	25.6	23.4								80
85	66	61	51	42	37.2	31.4	26	24.4	22.6								85
90	62	57	50	40.4	35.8	29.8	24.8	23.6	21.6		19						90
95	58	54	48	39	34.4	28.4	23.8	22.6	20.8	18.6	18.2		15.4			13	95
100	54	51	46	37.8	33.4	26.8	23	21.8	19.8	17.8	17.4	15	14.8		12.4		100
105	52	49	45	36.6	32.2	25.8	22	21	19.2	17.2	16.8	14.4	14.2		12		105
110	49	46	43	35.2	31.2	25	21.2	20.2	18.4	16.4	16	13.8	13.6		11.4		110
115	46	44	41.4	34	30	24.2	20.4	19.4	17.6	15.8	15.4	13.2	13.2		11		115
120	43.6	41.8	39.6	32.8	28.8	23.4	19.6	18.8	17	15.2	14.8	12.8	12.6	10.4	10.6		120
125	41	39.8	37.8	31.6	27.6	22.4	18.8	18	16.2	14.6	14.2	12.2	12	10	10.2		125
130	38.6	38	36	30.4	26.4	21.8	18.2	17.4	15.6	14.2	13.6	11.8	11.6	9.6	9.6		130
135	36.6	36	34.2	29.2	25.2	21.2	17.6	16.8	15	13.6	13	11.2	11	9	9.2	7.4	135
140	34.6	34.2	32.6	28	24.2	20.4	17	16.2	14.4	13.2	12.4	10.8	10.6	8.6	8.8	7	140
145	32.6	32.4	30.8	26.8	23.6	19.8	16.4	15.6	14	12.6	12	10.4	10.2	8.4	8.4	6.6	145
150	30.6	30.6	29	25.8	23	19.2	15.8	15.2	13.4	12.2	11.6	10	9.6	8	8.2	6.4	150
155	28.6	29	27.4	25	22.4	18.6	15.2	14.6	13	11.8	11	9.6	9.2	7.6	7.8	6	155
160	26.6	27.4	25.6	24	21.6	18.2	14.8	14	12.4	11.4	10.6	9.2	8.8	7.2	7.4	5.8	160
165	25	26	24.4	23.2	21	17.6	14.2	13.6	12	11	10.2	8.8	8.4	7	7	5.4	165
170	23	24.4	23.4	22.2	20.4	17.2	13.8	13.2	11.6	10.6	9.8	8.6	8	6.6	6.6	5.2	170
175	21.2	22.8	22.4	21.2	19.8	16.6	13.4	12.8	11.2	10.2	9.4	8.2	7.8	6.4	6.4	4.8	175
180	19.4	21.2	21.4	20.4	19.2	16.2	12.8	12.4	10.8	9.8	9	8	7.4	6	6	4.6	180
185	17.8	19.6	20.2	19.6	18.4	15.8	12.4	12	10.4	9.6	8.6	7.6	7	5.8	5.6	4.4	185
190	16.4	18	19.2	18.6	17.8	15.4	12	11.6	10	9.2	8.4	7.2	6.8	5.6	5.4	4	190
195		16.4	18.2	17.8	17.2	15	11.6	11.2	9.6	8.8	8	7	6.4	5.2	5.2	3.8	195
200		15	16.8	17	16.6	14.6	11.4	11	9.2	8.6	7.8	6.8	6	5	4.8	3.6	200
205		13.8	15.4	16	15.8	14.2	11	10.6	9	8.2	7.4	6.6	5.8	4.8	4.6	3.4	205
210			14.2	15.2	15	13.8	10.6	10.2	8.6	8	7.2	6.2	5.6	4.6	4.2	3.2	210
215			12.8	13.8	14.4	13.4	10.2	10	8.4	7.8	6.8	6	5.4	4.4	4	3	215
220			11.8	12.6	13.6	12.8	10	9.6	8	7.4	6.6	5.8	5	4.2	3.8	2.8	220
225			10.6	11.6	12.4	12.2	9.6	9.2	7.8	7.2	6.2	5.6	4.8	4	3.6	2.6	225
230				10.4	11.4	11.6	9	8.8	7.4	7	6	5.4	4.6	3.8	3.4		230
235				9.4	10.4	10.6	8.6	8.4	7.2	6.8	5.8	5.2	4.2	3.6	3.2		235
240				8.4	9.4	9.6	7.6	8	6.8	6.4	5.6	5	4	3.4	3		240
245					8.4	8.6	6.8	7.2	6.6	6.2	5.4	4.8	3.8	3.2	2.8		245
250					7.4	7.8	5.8	6.2	6.2	6	5.2	4.6	3.6	3			250
255					6.6	7	5	5.2	5.6	5.8	4.8	4.4	3.4	2.8			255
260					5.8	6	4	4.4	4.8	5.4	4.6	4.2	3.4	2.6			260
265						5.2	3.2	3.6	4	4.8	4.4	3.8	3.2	2.6			265
270						4.4	2.6	2.8	3.2	4	3.8	3.6	3				270
275						3.8			2.4	3.2	3	3.4	2.8				275
280						3				2.4	2.2	3.2	2.4				280
285												2.6					285




																	Carry Decks															
																	Boom Trucks															
																	Rough Terrain Cranes															
																	All Terrain Cranes															
																	Truck Cranes															
																	Crawler Cranes															
																	Access Platforms															
																	Fork Lifts															
																	179 ft	39-230 ft	264,500 lbs	28'9"x29'2"	360°											
																	100%															
ft	39 3°	59 3°	79 3°	98 3°	118 3°	138 3°	151		171		190		210		230		ft															
	3°	3°	3°	3°	3°	3°	3°	25°	3°	25°	3°	25°	3°	25°	3°	25°																
50	87	78															50															
55	83	75															55															
60	80	72	60														60															
65	76	68	58														65															
70	72	65	56	47													70															
75	68	61	54	46	38.6												75															
80	65	58	52	44	37.4	31.4	25.8	24.6									80															
85	61	55	49	43	36.2	29.8	25	23.8									85															
90	57	52	47	41.6	35	28.2	24.2	22.8	20.8								90															
95	54	50	45	40.2	34	27	23.2	22	20		17.2						95															
100	51	47	43.4	38.8	32.8	26.2	22.4	21.2	19.4	17.4	16.6		13.8		11.6		100															
105	49	45	41.6	37.4	31.4	25.4	21.6	20.6	18.6	16.8	16	14	13.4		11.2		105															
110	46	43	39.8	35.8	30.2	24.6	20.8	19.8	18	16.2	15.6	13.4	13		10.8		110															
115	44	41	38	34.6	28.8	24	20.2	19.2	17.2	15.6	15	13	12.4		10.4		115															
120	41.8	39.2	36.4	33.2	27.6	23.2	19.4	18.6	16.6	15	14.4	12.4	12		10		120															
125	39.8	37.2	35	31.8	26.6	22.6	18.8	18	16	14.6	14	12	11.6	9.8	9.6		125															
130	37.8	35.4	33.6	30.6	25.8	21.8	18.2	17.4	15.4	14	13.4	11.6	11.2	9.4	9.2		130															
135	35.8	33.6	32.2	29.2	25	21.2	17.6	16.8	15	13.6	13	11.2	10.8	9	8.8		135															
140	34	31.8	30.6	27.8	24.2	20.6	17	16.2	14.4	13	12.4	10.8	10.4	8.6	8.4	6.8	140															
145	32	30	29.2	26.6	23.4	20	16.4	15.6	14	12.6	12	10.4	10	8.2	8.2	6.4	145															
150	30.4	28.2	28	25.2	22.6	19.4	16	15.2	13.4	12.2	11.4	10	9.6	7.8	7.8	6.2	150															
155	28.8	26.4	26.6	23.8	21.8	18.8	15.4	14.8	13	11.8	11	9.6	9.2	7.6	7.4	6	155															
160	27.2	25	25.2	22.6	21	18.2	14.8	14.2	12.4	11.4	10.6	9.2	8.8	7.2	7.2	5.6	160															
165	25.6	24	23.8	21.6	20.2	17.6	14.4	13.8	12	11	10.2	9	8.4	7	6.8	5.4	165															
170	24	22.8	22.4	20.8	19.4	17.2	13.8	13.4	11.6	10.6	9.8	8.6	8.2	6.6	6.6	5	170															
175	22.2	21.8	21.2	20	18.6	16.6	13.4	13	11.2	10.2	9.6	8.2	7.8	6.4	6.2	4.8	175															
180	21	20.8	20.4	19.2	17.8	16	13	12.6	10.8	10	9.2	8	7.4	6	6	4.6	180															
185	19.2	19.6	19.4	18.4	17.2	15.4	12.6	12.2	10.4	9.6	8.8	7.6	7.2	5.8	5.8	4.4	185															
190	17.6	18.6	18.6	17.4	16.6	14.8	12	11.8	10.2	9.4	8.4	7.4	6.8	5.6	5.4	4.2	190															
195	16.2	17.2	17.6	16.6	15.8	14.4	11.6	11.4	9.8	9	8.2	7.2	6.6	5.4	5.2	3.8	195															
200	14.8	15.8	16.8	16	15.2	13.8	11.2	11	9.4	8.8	7.8	6.8	6.2	5.2	5	3.6	200															
205		14.4	15.8	15.2	14.6	13.2	10.6	10.6	9.2	8.4	7.6	6.6	6	4.8	4.6	3.4	205															
210		13.2	14.6	14.6	13.8	12.8	10.2	10.2	8.8	8.2	7.4	6.4	5.6	4.6	4.4	3.2	210															
215		12	13.4	13.8	13.2	12.2	9.8	9.8	8.4	7.8	7	6.2	5.4	4.4	4.2	3	215															
220		10.8	12.2	13	12.8	11.6	9.2	9.2	8.2	7.6	6.8	6	5.2	4.2	4	2.8	220															
225			11.2	12	12.2	11.2	8.8	8.8	7.8	7.4	6.6	5.8	5	4	3.6	2.8	225															
230			10	10.8	11.6	10.6	8.4	8.4	7.4	7	6.2	5.4	4.8	3.8	3.4		230															
235			9	9.8	10.6	10.2	7.8	8	7	6.8	6	5.2	4.6	3.6	3.2		235															
240			8.2	8.8	9.6	9.6	7.4	7.6	6.6	6.4	5.6	5	4.2	3.4	3		240															
245				7.8	8.6	8.8	6.8	7.2	6.2	6.2	5.4	4.8	4	3.2	2.8		245															
250				7	7.8	7.8	5.8	6.2	5.8	5.8	5	4.6	3.8	3.2	2.6		250															
255				6	6.8	7	5	5.4	5.4	5.6	4.8	4.6	3.6	3	2.4		255															
260				5.2	6	6.2	4.2	4.4	4.8	5.2	4.4	4.4	3.2	2.8			260															
265					5.2	5.4	3.4	3.6	4	4.8	4	4.2	3	2.6			265															
270					4.4	4.6	2.6	2.8	3.2	4	3.6	3.8	2.8	2.6			270															
275					3.8	3.8			2.4	3.2	2.8	3.6	2.6	2.4			275															
280					3	3.2				2.4		3.2					280															
285						2.4						2.6					285															






Call us (888) 972-7263

550 t | All Terrain Crane



### Working range



    										
52.6 ft 81°		82-239.5 ft			264,500 lbs		28'9"x29'2" 100%		360°	
ft	82	101.7	121.4	141.1	52.6 160.8	180.5	200.1	219.8	239.5	ft
40	169	144								40
45	160	140								45
50	151	136	114	92						50
55	142	132	111	91						55
60	134	129	109	89	73					60
65	128	125	106	88	72					65
70	118	122	104	86	70	56	42.6			70
75	102	118	102	84	69	54	41.4	32.6		75
80	86	108	99	83	67	53	40.4	31.6	23.4	80
85	70	96	96	81	65	52	39.2	30.8	22.8	85
90		86	93	80	64	50	38.2	29.8	22	90
95		75	88	78	62	49	37.2	29	21.4	95
100		65	80	76	61	47	36.2	28	20.6	100
105			73	74	59	46	35.2	27	20	105
110			65	71	58	45	34.4	26.2	19.4	110
115			58	68	57	43.6	33.4	25.2	18.8	115
120			51	62	56	42.6	32.6	24.2	18.2	120
125				57	54	41.6	31.8	23.2	17.6	125
130				51	53	40.6	31	22.6	17.2	130
135				46	50	39.6	30.2	22	16.6	135
140					47	38.8	29.4	21.4	16	140
145					43.2	38	28.4	20.8	15.4	145
150					39.6	37	27.6	20.2	15	150
155					36.2	36.2	26.6	19.6	14.6	155
160						35	25.8	19.2	14.2	160
165						33.4	24.8	18.6	13.6	165
170						31.8	24.4	18.2	13.2	170
175						29.6	23.8	17.8	12.8	175
180							23.2	17.2	12.4	180
185							22.8	16.8	12	185
190							22.2	16.4	11.6	190
195							21.6	15.8	11.2	195
200								15.6	11	200
205								15.2	10.6	205
210								14.8	10.2	210
215								14.4	9.8	215
220									9.6	220
225									9.2	225
230									9	230
235									8.6	235

 Carry Decks  
 Boom Trucks  
 Rough Terrain Cranes  
 All Terrain Cranes  
 Truck Cranes  
 Crawler Cranes  
 Access Platforms  
 Fork Lifts


Call us (888) 972-7263








550 t | All Terrain Crane

84.3 ft 81°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	84.3 160.8	180.5	200.1	219.8	239.5	ft
50	145	125								50
55	137	123	100							55
60	129	120	99	79						60
65	122	118	98	79						65
70	117	116	97	79	63					70
75	112	113	95	78	62	49	38.4			75
80	107	111	93	77	61	48	37.6	29.6		80
85	100	109	92	76	60	47	36.8	28.6		85
90	81	105	90	75	59	46	36	27.8	21	90
95		98	89	74	58	45	35	26.8	20.4	95
100		87	88	73	57	44	34.2	26	20	100
105		75	87	72	55	43.2	33.6	25	19.4	105
110		62	81	71	54	42.2	32.8	24.4	18.8	110
115			75	70	53	41.4	32	23.8	18.2	115
120			67	69	52	40.6	31.2	23.2	17.6	120
125				68	51	39.8	30.6	22.6	17.2	125
130				64	50	39	29.8	22	16.6	130
135				59	48	38	29.2	21.4	16.2	135
140				53	47	37.4	28.6	21	15.8	140
145					45	36.6	27.8	20.4	15.2	145
150					43.6	35.8	27.2	20	14.8	150
155					42.2	35.2	26.4	19.4	14.4	155
160					40.6	34.4	25.8	18.8	14	160
165						33.6	25	18.4	13.6	165
170						33	24.2	18	13.2	170
175						32.4	23.4	17.6	12.8	175
180						31.8	22.8	17	12.4	180
185							22.4	16.6	12	185
190							22	16.2	11.6	190
195							21.4	15.8	11.2	195
200							21	15.4	10.8	200
205								15	10.6	205
210								14.6	10.2	210
215								14.2	9.8	215
220								13.8	9.6	220
225									9.2	225
230									9	230
235									8.6	235



				
115.9 ft 81°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	115.9 160.8	180.5	200.1	219.8	239.5	ft
55	113	99								55
60	107	99	80							60
65	102	95	80							65
70	97	92	80	65						70
75	93	88	79	65	51					75
80	89	84	77	64	51	40.4	32			80
85	85	80	75	64	50	39.8	31.6			85
90	82	77	72	63	49	39.2	31.2	23.8		90
95	79	74	70	62	49	38.8	30.6	23.4	18.4	95
100		72	67	61	48	38.2	30.2	23	18	100
105		69	65	60	47	37.6	29.6	22.6	17.4	105
110		67	62	58	47	37.2	29.2	22.2	17	110
115		64	60	56	46	36.6	28.6	21.6	16.6	115
120			58	55	45	36	28.2	21.2	16.2	120
125			57	53	45	35.6	27.6	20.8	15.8	125
130			55	52	44	35	27.2	20.4	15.4	130
135				50	43.6	34.4	26.6	20	15	135
140				49	43	33.8	26	19.4	14.6	140
145				48	42.4	33.4	25.2	19	14.2	145
150				47	41.8	32.8	24.6	18.6	14	150
155					41.2	32.4	24	18.2	13.6	155
160					40.6	31.8	23.6	17.8	13.2	160
165					40.2	31.2	23	17.4	12.8	165
170					39.6	30.8	22.6	17	12.4	170
175						30.2	22.2	16.6	12.2	175
180						29.8	21.8	16.4	11.8	180
185						29.2	21.4	16	11.4	185
190						28.8	21	15.6	11.2	190
195							20.6	15.2	10.8	195
200							20.2	14.8	10.6	200
205							19.8	14.4	10.2	205
210								14.2	9.8	210
215								13.8	9.6	215
220								13.6	9.2	220
225								13.2	9	225
230									8.8	230
235									8.4	235
240									8.2	240

 Carry Decks  
 Boom Trucks  
 Rough Terrain Cranes  
 All Terrain Cranes  
 Truck Cranes  
 Crawler Cranes  
 Access Platforms  
 Fork Lifts


Call us (888) 972-7263



550 t | All Terrain Crane

147.6 ft 81°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	147.6 160.8	180.5	200.1	219.8	239.5	ft
65	83									65
70	79	70								70
75	75	67	57	45						75
80	71	65	57	45	37.2					80
85	68	62	57	45	37.2					85
90	65	60	55	45	37.2	29.8	23.2			90
95	62	58	54	45	37	29.8	23.2	18		95
100	59	56	52	45	36.8	29.4	23.2	18	13.6	100
105		53	50	45	36.4	29.2	22.8	18	13.6	105
110		52	49	45	36.2	29	22.6	17.8	13.6	110
115		50	47	44	36	28.8	22.4	17.6	13.4	115
120		49	46	42.6	35.8	28.6	22.2	17.4	13.2	120
125			44	41.2	35.4	28.2	22	17.2	13	125
130			43	40	35.2	28	21.6	16.8	12.8	130
135			41.8	38.8	35	27.8	21.4	16.6	12.6	135
140			40.4	37.6	34.6	27.6	21.2	16.4	12.2	140
145				36.4	33.8	27.2	20.8	16.2	12	145
150				35.4	33.2	27	20.6	15.8	11.8	150
155				34.4	32.4	26.8	20.4	15.6	11.6	155
160					31.8	26.4	20	15.4	11.4	160
165					31	26	19.8	15	11	165
170					30.2	25.6	19.6	14.8	10.8	170
175					29.2	25.4	19.2	14.6	10.6	175
180						25	19	14.4	10.4	180
185						24.6	18.8	14	10	185
190						24.4	18.4	13.8	9.8	190
195						24	18.2	13.6	9.6	195
200							18	13.2	9.4	200
205							17.6	13	9.2	205
210							17.4	12.8	9	210
215							17.2	12.6	8.6	215
220								12.2	8.4	220
225								12	8.2	225
230								11.8	8	230
235								11.6	7.8	235
240									7.6	240
245									7.4	245







163.4 ft 81°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	163.4 160.8	180.5	200.1	219.8	239.5	ft
75	64	57								75
80	62	57	45	37						80
85	59	55	45	37						85
90	57	53	45	37	29.2					90
95	55	51	45	37	29.2	23.8	19.2			95
100	53	50	45	37	29.2	23.8	19.2	14.6		100
105		48	44	37	29.2	23.6	19	14.6	10.8	105
110		46	43.2	37	29.2	23.6	19	14.6	10.8	110
115		45	41.8	37	29.2	23.4	18.8	14.4	10.8	115
120		43.4	40.6	36.6	29.2	23.2	18.6	14.4	10.8	120
125			39.2	35.8	29.2	23.2	18.6	14.2	10.6	125
130			38	34.8	29.2	23	18.4	14	10.4	130
135			36.8	34	29.2	22.8	18.2	13.8	10.2	135
140			35.8	33	28.8	22.6	18	13.6	10.2	140
145				32	28.6	22.6	17.8	13.6	10	145
150				31	28.2	22.4	17.6	13.4	9.8	150
155				30	27.8	22.2	17.6	13.2	9.6	155
160				29.2	27.4	22	17.4	13	9.4	160
165					27	21.8	17.2	12.8	9.4	165
170					26.2	21.8	17	12.6	9.2	170
175					25.4	21.6	16.8	12.6	9	175
180					24.8	21.4	16.6	12.4	8.8	180
185						21.2	16.4	12.2	8.6	185
190						21	16.2	12	8.4	190
195						20.6	16	11.8	8.4	195
200						20.4	16	11.6	8.2	200
205							15.8	11.4	8	205
210							15.6	11.4	7.8	210
215							15.4	11.2	7.6	215
220							15.2	11	7.4	220
225								10.8	7.2	225
230								10.6	7	230
235								10.4	7	235
240								10.2	6.8	240
245									6.6	245
250									6.4	250
255									6.2	255

Carry Decks  
Boom Trucks  
Rough Terrain Cranes  
All Terrain Cranes  
Truck Cranes  
Crawler Cranes  
Access Platforms  
Fork Lifts


Call us (888) 972-7263








550 t | All Terrain Crane

179.2 ft 81°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	179.2 160.8	180.5	200.1	219.8	239.5	ft
80	55	45								80
85	55	45								85
90	53	45	36.6	29.8						90
95	51	45	36.6	29.8	23.8					95
100	49	45	36.6	29.8	23.8	19.6	15.2			100
105	47	43.2	36.6	29.8	23.8	19.6	15.2	11.6		105
110	45	41.8	36.6	29.8	23.8	19.4	15.2	11.6		110
115		40.4	36.6	29.8	23.8	19.4	15.2	11.6	8.4	115
120		39	36.2	29.8	23.8	19.4	15	11.6	8.4	120
125		37.8	35.2	29.8	23.8	19.2	15	11.6	8.4	125
130		36.4	34	29.8	23.8	19.2	15	11.4	8.2	130
135			33	29.8	23.8	19	14.8	11.4	8.2	135
140			32	29.2	23.8	19	14.8	11.2	8	140
145			31	28.4	23.8	18.8	14.6	11.2	8	145
150			30	27.4	23.8	18.8	14.6	11	7.8	150
155				26.6	23.6	18.6	14.4	11	7.8	155
160				25.8	23.4	18.6	14.4	10.8	7.6	160
165				25.2	23.2	18.4	14.2	10.8	7.6	165
170				24.4	23	18.4	14.2	10.6	7.4	170
175					22.4	18.2	14	10.4	7.4	175
180					21.8	18.2	13.8	10.4	7.2	180
185					21.2	18	13.8	10.2	7.2	185
190					20.4	18	13.6	10.2	7	190
195						17.6	13.6	10	6.8	195
200						17.2	13.4	10	6.8	200
205						16.8	13.4	9.8	6.6	205
210							13.2	9.6	6.6	210
215							13	9.6	6.4	215
220							13	9.4	6.2	220
225								9.2	6.2	225
230								9.2	6	230
235								9	5.8	235
240								8.8	5.8	240
245									5.6	245
250									5.6	250
255									5.4	255
260									5.2	260



				
52.6 ft 70°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	52.6 160.8	180.5	200.1	219.8	239.5	ft
65	142									65
70	134									70
75	128	125								75
80	120	119								80
85	112	112								85
90	104	105	100							90
95		98	97	81						95
100		92	91	80	64					100
105		86	85	79	62					105
110		78	80	77	61					110
115			76	75	59	46				115
120			72	71	58	45	34.4			120
125			68	67	57	43.6	33.4	25.4		125
130			61	64	56	42.6	32.6	24.4		130
135				61	54	41.6	31.8	23.4	17.6	135
140				58	53	40.6	31	22.6	17.2	140
145				55	51	39.6	30.2	22	16.6	145
150				49	50	38.8	29.4	21.4	16	150
155					48	38	28.8	20.8	15.6	155
160					45	37	28	20.2	15	160
165					43.2	36.2	27.2	19.8	14.6	165
170					40	35.4	26.4	19.2	14.2	170
175						34.6	25.6	18.8	13.6	175
180						34	24.8	18.2	13.2	180
185						33	24	17.8	12.8	185
190						31.4	23.2	17.2	12.4	190
195							22.6	16.8	12	195
200							22.2	16.4	11.6	200
205							21.6	16	11.2	205
210								15.6	10.8	210
215								15	10.6	215
220								14.6	10.2	220
225								14.4	9.8	225
230									9.6	230
235									9.2	235
240									9	240
245									8.6	245

Carry Decks  
Boom Trucks  
Rough Terrain Cranes  
All Terrain Cranes  
Truck Cranes  
Crawler Cranes  
Access Platforms  
Fork Lifts


Call us (888) 972-7263








550 t | All Terrain Crane

84.3 ft 70°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	84.3 160.8	180.5	200.1	219.8	239.5	ft
80	110									80
85	104									85
90	97	96								90
95	90	89	89							95
100	85	84	83							100
105		78	78	75						105
110		74	73	72						110
115		70	69	68	57					115
120		66	65	64	56					120
125			62	61	55	42.4				125
130			59	58	54	41.6				130
135			56	55	53	40.8	31.4			135
140			53	52	52	39.8	30.8	22.8		140
145				50	49	39	30	22.2	16.8	145
150				48	47	38.2	29.4	21.6	16.2	150
155				46	46	37.6	28.6	21	15.8	155
160				43.6	43.2	36.8	28	20.4	15.4	160
165					41.4	36	27.2	20	14.8	165
170					39.6	35.2	26.4	19.4	14.4	170
175					38	34.6	25.6	19	14	175
180					36.4	33.8	24.8	18.6	13.6	180
185						33.2	24	18	13.2	185
190						32.6	23.6	17.6	12.8	190
195						31.8	23	17.2	12.4	195
200						30.4	22.4	16.6	12	200
205							22	16.2	11.6	205
210							21.6	15.8	11.2	210
215							21	15.4	11	215
220							20.6	15	10.6	220
225								14.6	10.2	225
230								14.4	10	230
235								14	9.6	235
240									9.4	240
245									9	245
250									8.8	250
255									8.4	255



    										
115.9 ft 70°		82-239.5 ft			264,500 lbs		28'9"x29'2" 100%		360°	
ft	82	101.7	121.4	141.1	115.9 160.8	180.5	200.1	219.8	239.5	ft
95	69									95
100	66	63								100
105	64	61	58							105
110	61	58	56							110
115	59	56	53							115
120		54	52	49						120
125		52	50	48						125
130		51	48	46						130
135		50	47	44	43					135
140			46	43	41.6	36.8				140
145			44	41.6	40.4	36.8	27.8			145
150			42.8	40.4	39	35.8	27.4			150
155			41.6	39.2	37.8	34.8	26.8	20.2		155
160				38	36.8	34	26.2	19.6	14.8	160
165				37	35.6	33	25.6	19.2	14.4	165
170				36	34.6	32	25	18.8	14	170
175				35	33.6	31.2	24.2	18.4	13.8	175
180					32.8	30.2	23.6	18	13.4	180
185					31.6	29.4	23.2	17.6	13	185
190					30.4	28.6	22.8	17.2	12.6	190
195					29.2	27.8	22.4	16.8	12.2	195
200						27	22	16.4	12	200
205						26	21.6	16	11.6	205
210						25	21	15.8	11.2	210
215						24	20.6	15.4	11	215
220							20.2	15	10.6	220
225							19.8	14.6	10.4	225
230							19.6	14.2	10	230
235							19.2	14	9.8	235
240								13.6	9.4	240
245								13.4	9.2	245
250									8.8	250
255									8.6	255
260									8.4	260
265									8	265

Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes

Access Platforms

Fork Lifts


Call us (888) 972-7263

550 t | All Terrain Crane



147.6ft 70°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	147.6 160.8	180.5	200.1	219.8	239.5	ft
105	51									105
110	49									110
115	46	42								115
120	44	40.4								120
125	42	39	36.8							125
130	40.2	37.6	35.6							130
135		36.4	34.4	32						135
140		35.2	33.2	30.8						140
145		34	32	29.8	28.8					145
150		33	31	28.8	27.8					150
155			30	27.8	26.8	24.6				155
160			29	27	25.8	24.2	21.4			160
165			28.2	26	25	23.4	21.2	16.4		165
170			27.4	25.4	24.4	22.6	20.8	16.2		170
175				24.8	23.8	21.8	20.2	16	11.8	175
180				24	23	21	19.6	15.8	11.8	180
185				23.4	22.4	20.4	19	15.6	11.4	185
190				22.8	21.6	19.6	18.4	15.2	11.2	190
195					21	19	17.8	15	11	195
200					20.4	18.4	17.2	14.8	10.8	200
205					19.8	17.8	16.6	14.6	10.6	205
210						17.2	16	14.2	10.2	210
215						16.8	15.6	14	10	215
220						16.2	15	13.6	9.8	220
225						15.8	14.6	13.4	9.6	225
230							14	13	9.4	230
235							13.6	12.6	9	235
240							13.2	12.2	8.8	240
245							12.8	11.8	8.6	245
250								11.4	8.4	250
255								11.2	8.2	255
260								10.8	8	260
265									7.8	265
270									7.6	270
275									7.2	275
280									7	280





163.4 ft 70°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	163.4 160.8	180.5	200.1	219.8	239.5	ft
120	37.6	35.2								120
125	36.2	33.8								125
130	35	32.6								130
135	33.8	31.6	29.6							135
140		30.4	28.6							140
145		29.4	27.6	25.4						145
150		28.4	26.6	24.6						150
155		27.6	25.8	24	23					155
160			25	23.2	22.2	19.4				160
165			24.4	22.4	21.4	19.4	17.2			165
170			23.6	21.6	20.6	18.6	17.2			170
175			23	21	20	18	16.8	13.6		175
180				20.2	19.2	17.4	16.2	13.4		180
185				19.6	18.6	16.6	15.6	13.2	9.6	185
190				19	18	16	15	13.2	9.6	190
195				18.4	17.4	15.6	14.6	12.8	9.4	195
200					16.8	15	14	12.4	9.2	200
205					16.2	14.4	13.4	12	9	205
210					15.8	14	13	11.6	9	210
215					15.2	13.4	12.6	11.2	8.8	215
220						13	12.2	10.8	8.6	220
225						12.6	11.6	10.4	8.4	225
230						12	11.2	10	8.2	230
235						11.6	10.8	9.6	8	235
240							10.4	9.4	7.8	240
245							10	9	7.6	245
250							9.8	8.6	7.2	250
255							9.4	8.2	7	255
260								8	6.8	260
265								7.6	6.6	265
270								7.4	6.2	270
275								7	6	275
280									5.8	280
285									5.4	285

Carry Decks  
Boom Trucks  
Rough Terrain Cranes  
All Terrain Cranes  
Truck Cranes  
Crawler Cranes  
Access Platforms  
Fork Lifts


Call us (888) 972-7263








550 t | All Terrain Crane

179.2 ft 70°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	179.2 160.8	180.5	200.1	219.8	239.5	ft
125	33.6	29.8								125
130	32.4	28.8								130
135	31.2	27.6								135
140	30.2	26.8	25							140
145		25.8	24.4							145
150		25.2	23.4							150
155		24.4	22.6	20.6						155
160		23.6	21.8	19.8						160
165			21.2	19.2	18.2	15.4				165
170			20.4	18.4	17.4	15.4				170
175			19.8	17.8	16.8	14.8	12.8			175
180			19.2	17.2	16.2	14.2	12.8			180
185				16.6	15.6	13.8	12.4	10.6		185
190				16	15	13.2	12	10.6		190
195				15.6	14.6	12.6	11.4	10.2	7.6	195
200				15	14	12.2	11	9.8	7.6	200
205					13.6	11.6	10.6	9.4	7.4	205
210					13	11.2	10	9	7.4	210
215					12.6	10.8	9.6	8.6	7.2	215
220					12.2	10.4	9.2	8.4	7	220
225						10	9	8	6.6	225
230						9.6	8.6	7.6	6.4	230
235						9.2	8.2	7.2	6	235
240						8.8	7.8	7	5.8	240
245							7.4	6.6	5.4	245
250							7.2	6.2	5.2	250
255							6.8	6	4.8	255
260							6.6	5.6	4.6	260
265								5.4	4.4	265
270								5.2	4	270
275								4.8	3.8	275
280								4.6	3.6	280





    										
52.6 ft 60°		82-239.5 ft			264,500 lbs		28'9"x29'2" 100%		360°	
ft	82	101.7	121.4	141.1	52.6 160.8	180.5	200.1	219.8	239.5	ft
95	94	93								95
100	88	87								100
105		82	81							105
110		77	76							110
115		73	72							115
120		69	68	67						120
125			64	63						125
130			61	60						130
135			58	57	57					135
140			56	55	54					140
145				52	52	41.6				145
150				50	49	40.6				150
155				48	47	39.6	30.2			155
160				46	45	38.8	29.4			160
165					43.2	37.8	28.6	20.8		165
170					41.4	37	28	20.2		170
175					39.8	36.2	27.2	19.6		175
180						35.4	26.4	19.2	14	180
185						34.8	25.4	18.6	13.6	185
190						33.8	24.4	18.2	13.2	190
195						33.2	23.8	17.6	12.8	195
200							23.2	17.2	12.4	200
205							22.6	16.8	12	205
210							22	16.4	11.6	210
215							21.6	15.8	11.2	215
220								15.4	10.8	220
225								15	10.6	225
230								14.8	10.2	230
235								14.4	9.8	235
240									9.6	240
245									9.2	245
250									9	250
255									8.6	255

Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes

Access Platforms

Fork Lifts


Call us (888) 972-7263








550 t | All Terrain Crane

84.3 ft 60°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	84.3 160.8	180.5	200.1	219.8	239.5	ft
105	72									105
110	68									110
115	64	63								115
120		60								120
125		57	56							125
130		54	53							130
135		51	50							135
140			48	47						140
145			46	44						145
150			43.4	42.4						150
155			41.6	40.4	39.6					155
160				38.6	37.8	37				160
165				37	36.2	35.4				165
170				35.4	34.6	33.8				170
175				34	33.2	32.4	28			175
180					31.8	31	27.4			180
185					30.6	29.8	26.8	19.4		185
190					29.4	28.6	26	19		190
195					28.2	27.4	25.4	18.4		195
200						26.2	24.8	18	13.2	200
205						25.2	23.8	17.6	12.8	205
210						24.2	23	17.2	12.4	210
215						23.4	22.4	16.6	12	215
220							21.8	16.2	11.6	220
225							21	15.8	11.2	225
230							20.2	15.4	11	230
235							19.4	15	10.6	235
240								14.6	10.2	240
245								14.4	10	245
250								14	9.6	250
255								13.6	9.2	255
260									9	260
265									8.8	265
270									8.4	270
275									8.2	275



    										
115.9 ft 60°		82-239.5 ft			264,500 lbs		28'9" x 29'2" 100%		360°	
ft	82	101.7	121.4	141.1	115.9 160.8	180.5	200.1	219.8	239.5	ft
125	49									125
130	47									130
135	46	43.6								135
140		42.2								140
145		40.6	38.6							145
150		38.8	37.4							150
155		36.8	36.2							155
160			34.4	33.2						160
165			33	31.8						165
170			31.6	30.4						170
175			30.2	29	28.2					175
180				27.8	27					180
185				26.6	25.8	25				185
190				25.6	24.8	23.8				190
195				24.4	23.8	22.8	22			195
200					22.8	21.8	21.2			200
205					21.8	21	20.2	17.6		205
210					21	20.2	19.4	17.2	12.6	210
215					20	19.2	18.6	16.8	12.2	215
220						18.4	17.8	16.4	12	220
225						17.8	17	16	11.6	225
230						17	16.4	15.8	11.2	230
235						16.2	15.6	15.2	11	235
240							15	14.6	10.6	240
245							14.4	13.8	10.4	245
250								13.2	10	250
255								12.8	9.8	255
260								12.2	9.4	260
265								11.6	9.2	265
270									8.8	270
275									8.6	275
280									8.4	280
285									8	285

Carry Decks  
Boom Trucks  
Rough Terrain Cranes  
All Terrain Cranes  
Truck Cranes  
Crawler Cranes  
Access Platforms  
Fork Lifts


Call us (888) 972-7263

550 t | All Terrain Crane



147.6 ft 60°	82-239.5 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	147.6 160.8	180.5	200.1	219.8	239.5	ft
145	31.6									145
150	30									150
155	28.6	26								155
160		25.2								160
165		24.6	23							165
170		23.8	22.2							170
175		23	21.4							175
180			20.8	18.8						180
185			20.2	18.2						185
190			19.6	17.6						190
195			18.8	17	16					195
200				16.4	15.4	13.6				200
205				16	15	13.2				205
210					14.4	12.6	15.2			210
215					14	12.2	12.6			215
220					13.4	11.6	10.6			220
225					13	11.2	10.2	9.2		225
230						10.8	9.8	8.8	8.4	230
235						10.4	9.4	8.4	8.4	235
240						10	9	8.2	8.2	240
245						9.6	8.6	7.8	7.8	245
250							8.2	7.4	7.6	250
255							7.8	7	7.2	255
260							7.6	6.8	7	260
265							7.2	6.4	6.6	265
270								6.2	6.4	270
275								5.8	6	275
280								5.6	5.6	280
285								5.4	5.2	285
290									4.8	290
295									4.4	295
300									4	300
305									3.6	305










163.4 ft 60° <span style="margin-left: 100px;">82-200.1 ft</span> <span style="margin-left: 100px;">264,500 lbs</span> <span style="margin-left: 100px;">28'9"x29'2"</span> <span style="margin-left: 100px;">360°</span>								
ft	82	101.7	121.4	163.4 141.1	160.8	180.5	200.1	ft
145	25.4							145
150	24.8							150
155	24							155
160	23.2	21.2						160
165		20.6						165
170		19.8						170
175		19.2	17.6					175
180		18.6	17					180
185			16.4	14.4				185
190			15.8	14				190
195			15.4	13.4				195
200			14.8	13				200
205				12.4	11.4			205
210				12	11	9.2		210
215				11.6	10.6	8.8		215
220				11.2	10.2	8.4	7.6	220
225					9.8	8	7.2	225
230					9.4	7.6	6.8	230
235					9	7.2	6.4	235
240					8.6	6.8	6	240
245						6.6	5.8	245
250						6.2	5.4	250
255						6	5.2	255
260						5.6	4.8	260
265							4.6	265
270							4.2	270
275							4	275
280							3.8	280

Carry Decks  
 Boom Trucks  
 Rough Terrain Cranes  
 All Terrain Cranes  
 Truck Cranes  
 Crawler Cranes  
 Access Platforms  
 Fork Lifts


Call us (888) 972-7263



550 t | All Terrain Crane

				
179.2 ft 60°	101.7-160.8 ft	264,500 lbs	28'9"x29'2" 100%	360°

ft	101.7	121.4	141.1	160.8	ft
175	16				175
180	15.4				180
185	14.8	13.2			185
190	14.4	12.8			190
195	13.8	12.4			195
200		11.8	10		200
205		11.4	9.6		205
210			9.2		210
215			8.8		215
220			8.4	7.4	220
225			8	7	225
230				6.6	230
235				6.4	235
240				6	240
245				5.8	245





116 ft	82-239.5 ft	352,700 lbs	28'9"x29'2"	360°
81°			100%	

ft	82	101.7	121.4	141.1	116	160.8	180.5	200.1	219.8	239.5	ft
50	141										50
55	136	107									55
60	129	107	85								60
65	122	107	85								65
70	115	107	85	69							70
75	109	107	85	69	58						75
80	105	107	85	69	58	48					80
85	100	107	85	69	58	48					85
90	97	105	85	69	58	48	39.6				90
95		102	85	69	58	48	39.6	33			95
100		98	85	69	58	48	39.6	33	26.2		100
105		93	85	69	58	48	39.6	33	26.2		105
110		81	85	69	58	48	39.6	33	26.2		110
115			84	69	58	48	39.6	33	26.2		115
120			80	69	58	48	39.6	33	26.2		120
125			72	69	58	48	39.6	33	26.2		125
130			63	69	58	48	39.6	33	26.2		130
135				68	58	48	39.6	33	26.2		135
140				63	58	47	39.6	33	25.8		140
145				57	58	47	39.6	33	25.4		145
150				50	57	46	39.6	33	24.8		150
155					55	46	39.6	32.8	24.4		155
160					51	46	39.6	32.2	23.8		160
165					46	45	39.6	31.6	23.2		165
170					40.8	45	39.6	30.6	22.8		170
175						44	39.6	29.8	22.2		175
180						41.4	39.6	29	21.8		180
185						37.6	39.6	28	21.4		185
190						33.2	39.6	27.2	20.8		190
195							37	26.8	20.4		195
200							34	26.2	19.8		200
205							30.8	25.8	19.4		205
210								25.4	19		210
215								24.8	18.6		215
220								24.6	18.4		220
225									18		225
230									17.6		230
235									17.2		235
240									17		240

--	--	--	--	--	--	--	--	--	--	--	--

Carry Decks  
Boom Trucks  
Rough Terrain Cranes  
All Terrain Cranes  
Truck Cranes  
Crawler Cranes  
Access Platforms  
Fork Lifts


Call us (888) 972-7263








550 t | All Terrain Crane

148 ft 81°	82-239.5 ft	352,700 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	148 160.8	180.5	200.1	219.8	239.5	ft
65	113									65
70	109	101								70
75	106	98	81							75
80	103	94	81	63						80
85	102	91	81	63						85
90	100	89	81	63	54					90
95	98	87	79	63	54	44				95
100	93	85	78	63	54	44	36.6	30.6		100
105		84	76	63	54	44	36.6	30.6	24.4	105
110		82	74	63	54	44	36.6	30.6	24.4	110
115		78	72	63	54	44	36.6	30.6	24.4	115
120			71	63	54	44	36.6	30.6	24.4	120
125			70	63	54	44	36.6	30.6	24.4	125
130			68	62	54	44	36.6	30.6	24.4	130
135			64	61	54	44	36.6	30.6	24.4	135
140				60	54	44	36.6	30.6	24.4	140
145				58	54	44	36.6	30.6	24.4	145
150				55	54	44	36.6	30.6	24.4	150
155				52	54	44	36.6	30.6	24.2	155
160					52	43.8	36.6	30.6	23.8	160
165					50	43.6	36.6	30.6	23.4	165
170					48	43.2	36.6	30.6	23	170
175					45	42.6	36.6	30.4	22.6	175
180						42.2	36.6	29.6	22	180
185						41.6	36.6	28.8	21.6	185
190						41	36.6	28	21.2	190
195						37	36.6	27.4	20.8	195
200							36.6	26.6	20.4	200
205							36.4	26.2	19.8	205
210							33.6	25.8	19.4	210
215							30.2	25.4	19	215
220								25	18.6	220
225								24.6	18.4	225
230									18	230
235									17.8	235
240									17.4	240
245									17.2	245





				
163 ft 81°	82-239.5 ft	352,700 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	163	180.5	200.1	219.8	239.5	ft
75	95	85								75
80	93	83	74							80
85	91	81	73							85
90	89	79	72	60						90
95	86	78	70	60	50	41.2				95
100	81	76	68	60	50	41.2				100
105		74	67	60	50	41.2	34.2	28.6		105
110		71	66	59	50	41.2	34.2	28.6		110
115		68	64	58	50	41.2	34.2	28.6	22.6	115
120		65	63	57	50	41.2	34.2	28.6	22.6	120
125			60	55	50	41.2	34.2	28.6	22.6	125
130			58	54	50	41.2	34.2	28.6	22.6	130
135			55	52	50	41.2	34.2	28.6	22.6	135
140			53	50	50	41.2	34.2	28.6	22.6	140
145				48	48	41.2	34.2	28.6	22.6	145
150				47	47	41.2	34.2	28.6	22.6	150
155				45	46	41.2	34.2	28.6	22.6	155
160				43	44	40.6	34.2	28.6	22.6	160
165					43	39.8	34.2	28.6	22.6	165
170					41.6	39.2	34.2	28.6	22.6	170
175					40.2	38.4	34.2	28.6	22.4	175
180					38.8	37.2	34.2	28.6	22	180
185						36.2	34.2	28.4	21.6	185
190						35	33.8	28	21.2	190
195						34	32.8	27.4	20.8	195
200							32	26.8	20.4	200
205							31	26.2	20	205
210							29.8	25.8	19.6	210
215							28.4	25.4	19.2	215
220							27	25	18.8	220
225								24.6	18.4	225
230								24.2	18.2	230
235								23.6	17.8	235
240									17.6	240
245									17.2	245
250									17	250
255									16.8	255

--	--	--	--	--	--	--	--	--	--	--

Carry Decks  
Boom Trucks  
Rough Terrain Cranes  
All Terrain Cranes  
Truck Cranes  
Crawler Cranes  
Access Platforms  
Fork Lifts


Call us (888) 972-7263












550 t | All Terrain Crane

179 ft 81°	82-239.5 ft	352,700 lbss	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	179 160.8	180.5	200.1	219.8	239.5	ft
80	80	75								80
85	76	71								85
90	73	68	64	55						90
95	69	65	61	54	47					95
100	66	62	59	53	47	38				100
105	63	60	56	51	47	38				105
110	60	57	53	50	47	38				110
115		54	51	48	46	38	31.6	25.2		115
120		51	49	47	45	38	31.6	25.2	20.8	120
125		49	47	45	45	38	31.6	25.2	20.8	125
130		46	45	43	43.4	38	31.6	25.2	20.8	130
135			43.2	41.4	42	38	31.6	25.2	20.8	135
140			41.4	39.8	40.6	37.4	31.6	25.2	20.8	140
145			39.6	38.2	39.2	36.4	31.6	25.2	20.8	145
150			37.8	36.6	38	35.4	31.6	25.2	20.8	150
155				35.2	36.8	34.6	31.6	25.2	20.8	155
160				33.8	35.4	33.4	31.2	25.2	20.8	160
165					34.2	31.8	30.6	25.2	20.8	165
170					33	30.4	30	25.2	20.8	170
175					31.8	29	28.8	25.2	20.8	175
180					30.6	27.4	27.6	25	20.8	180
185						26.6	26.4	24.4	20.8	185
190						25.6	25.2	23.8	20.8	190
195						24.6	24	23	20.6	195
200						23.8	23.2	22.4	20.2	200
205							22.4	21.8	19.8	205
210							21.6	21	19.4	210
215							20.8	20.4	19	215
220							20	19.8	18.6	220
225								19	18.2	225
230								18.4	17.6	230
235								17.8	17	235
240								17	16.6	240
245									16	245
250									15.4	250
255									14.8	255
260									14.2	260



											
											
											
											
											
											
											
											
											
	116 ft 70°	82-239.5 ft			352,700 lbs		28'9"x29'2" 100%		360°		
ft	82	101.7	121.4	141.1	116 160.8	180.5	200.1	219.8	239.5	ft	
100	93	91								100	
105	88	87								105	
110	84	83								110	
115	80	79	78							115	
120		75	74	71						120	
125		72	71	70	60					125	
130		68	68	67	60					130	
135		66	65	64	59					135	
140			62	61	59	48				140	
145			60	59	58	47	40.4			145	
150			58	57	56	47	40.4			150	
155			55	54	54	47	40.4			155	
160				52	52	47	40.4	33.4		160	
165				50	50	46	40.4	33.2	25.2	165	
170				49	48	46	40.4	32.8	24.8	170	
175					46	45	40.4	32.4	24.4	175	
180					45	43.6	40.4	32	23.8	180	
185					43.2	42.2	40.4	31.6	23.4	185	
190					41.6	40.8	39.8	31.2	23	190	
195						39.2	38.4	30.8	22.4	195	
200						37.8	37	29.8	22	200	
205						36.6	35.8	29	21.4	205	
210							34.6	28	21	210	
215							33.4	27.2	20.6	215	
220							32.2	26.8	20.2	220	
225							31.2	26	19.8	225	
230								25.6	19.2	230	
235								25.2	18.8	235	
240								24.8	18.4	240	
245								24.4	18	245	
250									17.8	250	
255									17.4	255	
260									17.2	260	
265									16.8	265	


Call us (888) 972-7263








550 t | All Terrain Crane

148 ft 70°	82-239.5 ft	352,700 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	148 160.8	180.5	200.1	219.8	239.5	ft
110	79									110
115	75	71								115
120	72	69								120
125	68	68	62							125
130	65	65	61							130
135		62	59	54						135
140		59	58	53	51					140
145		57	56	53	50					145
150		55	54	53	49					150
155			52	51	48	39.6				155
160			50	49	47	39.6	37			160
165			48	47	46	39.6	37			165
170			46	45	44	39.6	37			170
175				43.8	42.8	39.6	37	31.2		175
180				42.2	41.2	39.6	36.6	31.2	24	180
185					39.8	38.4	36.2	31	23.6	185
190					38.4	37	35.6	30.8	23.4	190
195					37	35.6	34.8	30.6	23	195
200					35.6	34.4	33.4	30.4	22.6	200
205					34.4	33	32.2	30	22.2	205
210						32	31.2	29.8	21.8	210
215						30.8	30	29	21.4	215
220						29.8	29	28.2	21	220
225							28	27.4	20.6	225
230							27	26.4	20.2	230
235							26	25.4	19.8	235
240							25.2	24.6	19.4	240
245							24.2	23.8	19	245
250								23	18.6	250
255								22.2	18.2	255
260								21.4	18	260
265									17.6	265
270									17.4	270
275									17	275
280									16.8	280



    										
163 ft 70°										
82-239.5 ft										
352,700 lbs										
28'9"x29'2" 100%										
360°										
ft	82	101.7	121.4	141.1	163	180.5	200.1	219.8	239.5	ft
120	70	62			160.8					120
125	67	60								125
130	64	59								130
135	61	58	52							135
140		56	51	46						140
145		55	50	46						145
150		52	49	45						150
155		50	48	44	42.2					155
160			47	43.2	41.6	35.2				160
165			45	42.2	40.8	35.2				165
170			43.6	41.2	40.2	35.2				170
175			42	39.8	39.6	35.2	32			175
180				38.4	39	35	31.6	28.4		180
185				37.2	38	34.6	31.2	28.2		185
190				35.8	36.6	34	30.6	27.8		190
195					35.4	33.6	30.4	27.4	22.4	195
200					34	32.8	30	27	22.2	200
205					32.8	31.6	29.6	26.6	22	205
210					31.6	30.4	29.2	26.4	21.6	210
215					30.6	29.4	28.4	26	21.4	215
220						28.4	27.4	25.6	21	220
225						27.4	26.4	25	20.8	225
230							25.4	24.4	20.4	230
235							24.6	23.8	20	235
240							23.8	23.2	19.6	240
245							22.8	22.4	19.2	245
250							22	21.6	19	250
255							21.2	20.8	18.6	255
260								20	18.2	260
265								19.4	18	265
270									17.6	270
275									17.4	275
280									17	280
285									16.4	285

Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes

Access Platforms

Fork Lifts


Call us (888) 972-7263








550 t | All Terrain Crane

179 ft 70°	82-239.5 ft	352,700 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	179 160.8	180.5	200.1	219.8	239.5	ft
125	53	49								125
130	51	47								130
135	49	46								135
140	47	43.8	41.4							140
145		42.2	39.8	37.2						145
150		40.6	38.4	36						150
155		39	37	34.6						155
160		37.4	35.6	33.4	34.6					160
165			34.4	32.2	33.6					165
170			33	31	32.6					170
175			31.8	29.6	31.4	28				175
180			30.6	28	29.6	26.6	25.2			180
185				26.2	27.8	25.8	24.4	23		185
190				25	26.6	25	23.8	22.4		190
195				24	25.8	24.2	23	21.8		195
200					25	23.4	22.4	21.2	19.6	200
205					24.2	22.8	21.6	20.6	19.2	205
210					23.4	22	21	20	18.6	210
215					22.6	21.4	20.4	19.4	18.2	215
220					21.8	20.6	19.8	18.8	17.6	220
225						20	19.2	18.2	17.2	225
230						19.2	18.6	17.6	16.6	230
235						18.6	18	17.2	16.2	235
240							17.4	16.6	15.6	240
245							16.8	16.2	15.2	245
250							16.2	15.6	14.6	250
255							15.6	15.2	14.2	255
260							15	14.6	13.8	260
265								14.2	13.2	265
270								13.6	12.8	270
275								13.2	12.4	275
280									12	280
285									11.6	285
290									11.2	290
295									10.8	295





    											
116 ft 60°											
82-239.5 ft											
352,700 lbs											
28'9"x29'2" 100%											
360°											
ft	82	101.7	121.4	141.1	116	160.8	180.5	200.1	219.8	239.5	ft
125	65										125
130	62										130
135	60	58									135
140		56									140
145		54	53								145
150		52	51								150
155		50	49								155
160			47	45							160
165			45	43.6							165
170			43.4	42							170
175			41.6	40.4	39.4						175
180				38.8	37.8						180
185				37.4	36.4	35					185
190				36	35	33.6					190
195					33.8	32.4					195
200					32.6	31.2	30.2				200
205					31.4	30	29				205
210						29	28	27.2			210
215						27.8	27	26.2			215
220						26.8	26	25.4			220
225						26	25	24.4	21.4		225
230							24.2	23.6	20.8		230
235							23.4	22.6	20.4		235
240							22.4	21.8	20		240
245							21.6	21	19.6		245
250								20.4	19.2		250
255								19.6	18.8		255
260								19	18.4		260
265								18.2	17.8		265
270									17.2		270
275									16.6		275
280									16		280
285									15.4		285

Carry Decks  
Boom Trucks  
Rough Terrain Cranes  
All Terrain Cranes  
Truck Cranes  
Crawler Cranes  
Access Platforms  
Fork Lifts


Call us (888) 972-7263



550 t | All Terrain Crane

148 ft 60°	82-239.5 ft	352,700 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	148 160.8	180.5	200.1	219.8	239.5	ft
145	50									145
150	48									150
155	46	44								155
160		42.6								160
165		40.8	39.6							165
170		39.2	38.2							170
175		37.6	36.6	35						175
180			35.2	33.6						180
185			34	32.4						185
190			32.6	31.2						190
195			31.4	30	29					195
200				28.8	27.8					200
205				27.8	26.8	25.6				205
210					25.8	24.8				210
215					24.8	23.8				215
220					24	22.8	22			220
225					23	22	21			225
230						21.2	20.2	19.6		230
235						20.4	19.6	18.8		235
240						19.6	18.8	18.2	17.2	240
245						18.8	18	17.4	16.6	245
250							17.4	16.8	15.8	250
255							16.6	16.2	15.2	255
260							16	15.4	14.6	260
265							15.4	14.8	14	265
270								14.2	13.4	270
275								13.8	12.8	275
280								13.2	12.4	280
285								12.6	11.8	285
290									11.4	290
295									10.8	295
300									10.4	300







163 ft 60° <span style="margin-left: 100px;">82-239.5 ft</span> <span style="margin-left: 100px;">352,700 lbs</span> <span style="margin-left: 100px;">28'9"x29'2"</span> <span style="margin-left: 100px;">360°</span>										
<span style="margin-left: 100px;">100%</span>										
ft	163									ft
	82	101.7	121.4	141.1	160.8	180.5	200.1	219.8	239.5	
150	45									150
155	43.6									155
160	41.8	40.4								160
165		38.8								165
170		37.2								170
175		35.6	34.6							175
180		34.2	33.2							180
185			32	30.2						185
190			30.8	29.2						190
195			29.6	28						195
200			28.4	27	26.4					200
205				26	25.4					205
210				25	24.4	22.8				210
215				24	23.6	22				215
220				23	22.6	21.2				220
225					21.8	20.2	19.2			225
230					21	19.6	18.6			230
235					20.2	18.8	17.8			235
240					19.4	18	17	16.2		240
245						17.4	16.4	15.6		245
250						16.6	15.8	15	13.8	250
255						16	15.2	14.4	13.2	255
260							14.6	13.8	12.6	260
265							14	13.2	12.2	265
270							13.4	12.6	11.6	270
275							12.8	12.2	11	275
280							12.2	11.6	10.6	280
285								11	10.2	285
290								10.6	9.6	290
295								10.2	9.2	295
300									8.8	300
305									8.2	305
310									7.8	310

Carry Decks  
 Boom Trucks  
 Rough Terrain Cranes  
 All Terrain Cranes  
 Truck Cranes  
 Crawler Cranes  
 Access Platforms  
 Fork Lifts

Call us (888) 972-7263



550 t | All Terrain Crane

179 ft 60°	82-239.5 ft	352,700 lbs	28'9"x29'2" 100%	360°

ft	82	101.7	121.4	141.1	179 160.8	180.5	200.1	219.8	239.5	ft
165	38									165
170	36.4									170
175	34.8	33.4								175
180		32.2								180
185		31	29							185
190		29.8	27.8							190
195			25.8	23.2						195
200			24.6	22.4						200
205			23.6	21.6						205
210				21	22.6					210
215				20.2	21.8					215
220				19.4	20.8					220
225				18.8	20	18.6				225
230					19.4	17.8				230
235					18.6	17				235
240					17.8	16.4	15.4			240
245					17.2	15.8	14.6			245
250						15	14	13.2		250
255						14.4	13.4	12.6		255
260						13.8	12.8	12	10.8	260
265						13.2	12.4	11.6	10.2	265
270							11.8	11	9.8	270
275							11.2	10.6	9.2	275
280							10.8	10	8.8	280
285							10.2	9.6	8.4	285
290								9.2	8	290
295								8.6	7.6	295
300								8.2	7	300
305								7.8	6.6	305
310									6.2	310
315									6	315
320									5.6	320