



125 t Truck Crane



Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes


Truck Cranes





Crawler Cranes

Access Platforms

Fork Lifts

Working range



   										
35.9-142.3 ft		48,500 lbs			24'x24' 100%			360°		
ft	35.9	49.2	63	75.5	89.1	102.7	116.2	129.5	142.3	ft
8	220*									8
9	185*									9
10	165	138	130.5	111	83					10
12	151	138	129.5	111	83					12
15	131.5	127.5	122.5	111	83	60.15				15
20	105.5	105.5	101	99.4	81.5	60.15	44.5	33.45		20
25	83.6	85.75	84.3	84.55	73.5	56.75	44.5	33.45	26.7	25
30		70.15	70.6	70.35	65.6	50.1	44.25	33.45	26.7	30
35		58.05	58.6	57.85	59.15	44.7	40.1	33.45	26.7	35
40		48.05	48.95	48.25	49.55	40.15	36.25	32.85	26.7	40
45			41.6	43.05	42.25	36.35	32.4	30.05	26.7	45
50			37	37.45	36.6	32.65	29.55	27.55	25.95	50
55			27.45	32.65	31.95	30.25	27.05	25.3	24.1	55
60				28.7	27.95	28.2	24.9	23.35	22.35	60
65				25.35	24.7	25.4	23	21.55	20.75	65
70					22.1	22.7	21.2	20	19.3	70
75					20.85	20.4	19.5	18.6	18	75
80					19.1	18.45	18.4	16.65	16.1	80
85						16.7	16.75	15.55	15.1	85
90						15.25	15.6	14.3	14.15	90
95						11.5	14.25	13.4	13.3	95
100							13.05	12.7	12.35	100
105							12	11.95	11.35	105
110								11	10.4	110
115								10.1	9.57	115
120								9.36	8.78	120
125									8.07	125
130									7.42	130
135									4.98	135






* Requires special equipment

Carry Decks
Boom Trucks
Rough Terrain Cranes
All Terrain Cranes
Truck Cranes
Crawler Cranes
Access Platforms
Fork Lifts

Call us (888) 972-7263




125 t | Truck Crane

				
142 ft	33/56 ft	48,500 lbs	24'x24' 100%	360°

ft	0°	33 20°	40°	0°	56 20°	40°	ft
30	13.65						30
35	13.65			8.47			35
40	13.65			8.47			40
45	13.65	14.2		8.47			45
50	13.65	14.2	12.2	8.47			50
55	13.65	14.2	12.2	8.47	8.7		55
60	13.65	14.2	12.2	8.47	8.67		60
65	13.65	14.2	12.2	8.47	8.62		65
70	13.65	14.1	12.2	8.47	8.38		70
75	13.65	13.5	12.2	8.47	8.16	6.75	75
80	12.95	12.9	12.2	8.47	7.94	6.64	80
85	12.25	12.25	12.2	8.47	7.72	6.53	85
90	11.6	11.6	11.85	8.47	7.53	6.44	90
95	11	11.05	11.25	8.47	7.34	6.35	95
100	10.45	10.5	10.7	8.47	7.17	6.28	100
105	9.86	9.99	10.2	8.47	7.02	6.21	105
110	9.29	9.51	9.72	8.34	6.87	6.14	110
115	8.75	8.98	9.26	8.1	6.73	6.09	115
120	8.25	8.47	8.72	7.77	6.61	6.05	120
125	7.79	7.99	8.21	7.42	6.49	6.01	125
130	7.26	7.52	7.61	7.09	6.39	5.99	130
135	6.67	6.89		6.77	6.29	5.97	135
140	6.13	6.32		6.46	6.2	5.97	140
145	5.63	5.78		6.07	6.13	5.97	145
150	5.16	5.28		5.6	6	5.97	150
155	4.74	4.82		5.16	5.52	5.66	155
160	4.34			4.75	5.07		160
165	3.99			4.37	4.64		165
170				4.02	4.24		170
175				3.69	3.86		175
180				3.38	3.5		180
185				3.08			185
190				1.83			190

Working range



Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes

Access Platforms

Fork Lifts

Call us (888) 972-7263



125 t | Truck Crane

142 ft	2x16 ft	72/88 ft	48,500 lbs	24'x24' 100%	360°

ft	72			88			ft
	0°	20°	40°	0°	20°	40°	
45	6.92						45
50	6.92			5.52			50
55	6.92			5.52			55
60	6.92	7.44		5.52			60
65	6.92	7.44		5.52			65
70	6.92	7.44		5.52	5.68		70
75	6.92	7.44	6.37	5.52	5.61		75
80	6.92	7.44	6.37	5.52	5.55	5.33	80
85	6.92	7.43	6.37	5.52	5.48	5.33	85
90	6.92	7.33	6.37	5.52	5.42	5.33	90
95	6.92	7.24	6.35	5.52	5.35	5.33	95
100	6.92	7.14	6.27	5.52	5.29	5.29	100
105	6.92	7.04	6.2	5.44	5.23	5.24	105
110	6.92	6.84	6.14	5.35	5.16	5.2	110
115	6.92	6.63	6.09	5.27	5.1	5.15	115
120	6.71	6.43	6.04	5.18	5.04	5.11	120
125	6.49	6.24	6	5.1	4.99	5.05	125
130	6.27	6.05	5.97	5.01	4.92	4.99	130
135	6.02	5.88	5.95	4.93	4.85	4.92	135
140	5.74	5.71	5.8	4.84	4.76	4.86	140
145	5.47	5.56	5.66	4.67	4.6	4.72	145
150	5.22	5.41	5.53	4.52	4.46	4.58	150
155	4.98	5.18	5.41	4.36	4.32	4.45	155
160	4.59	4.95	5.18	4.22	4.19	4.32	160
165	4.2	4.56	4.72	4.02	4.06	4.2	165
170	3.84	4.16		3.76	3.95	4.09	170
175	3.5	3.79		3.42	3.77	3.93	175
180	3.19	3.43		3.1	3.42	3.55	180
185	2.89	3.1		2.8	3.09		185
190	2.62	2.78		2.51	2.77		190
195	2.36	2.48		2.25	2.47		195
200	2.12			2	2.19		200
205	1.91			1.77	1.92		205
210				1.55	1.66		210
215				1.34			215
220				1.16			220