





120 t All Terrain Crane




Carry Decks  
Boom Trucks  
Rough Terrain Cranes  
All Terrain Cranes  
Truck Cranes  
Crawler Cranes  
Access Platforms  
Fork Lifts


Call us (888) 972-7263

120 t | All Terrain Crane



Working range



   												
42.7-170.6      77,160 lbs      25'4.9"x24'7.3"      360° 100%												
ft	42.7*	42.7	57.1	71.9	86.6	101.4	116.1	130.9	145.7	160.4	170.6	ft
10	260**	228**	194	162								10
12	234**	206	192	158								12
14	215	187.5	183.5	151.5	119.5							14
16	193.5	171.5	170	141	116.5							16
18	173	158.5	157	131.5	113.5	87.3						18
20	154.5	146	144.5	122.5	110	87.3	67.9					20
25	122.5	121.5	120	114	102	84.9	67.9	53.4				25
30	100.5	100.5	102	102	95.4	82.1	64.9	53.4	43.7	34		30
35			85.5	86.2	86.4	78.2	60.8	52	43.7	34	28	35
40			73.7	73.7	75.5	73.4	56.8	49.4	43.4	34	28	40
45			60.3	62.1	62.6	61.1	53.1	46.4	41.4	34	28	45
50				53.5	53.4	52.3	51	43.5	39.5	34	28	50
55				46.4	46.1	45.2	46.8	40.7	37.7	33.7	27.5	55
60				40.3	40.4	40.5	40.6	37.5	35.6	33.1	26.5	60
65					35.8	36.8	35.9	35.1	34.1	32.1	25.3	65
70					32	33.1	32	32.3	31.9	30.2	24.4	70
75					28.3	29.8	28.8	29.3	29.3	28	23.5	75
80						27	26	26.3	26.5	25.6	22.5	80
85						24.6	23.7	24	24	23.1	21.4	85
90						22.4	22.3	22.2	21.9	21	20.4	90
95							20.9	20.6	20	19.1	19	95
100							19.4	18.9	18.3	17.4	17.4	100
110								16.1	15.4	14.5	14.6	110
120								13.7	13.1	12	12.2	120
130									10.9	10	10.2	130
140										8.4	8.4	140
150										7	7	150
160											5.9	160

\* Over rear

\*\* With additional lifting equipment

Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes


Truck Cranes






Crawler Cranes

Access Platforms

Fork Lifts

Working range



														Carry Decks
														Boom Trucks
														Rough Terrain Cranes
														All Terrain Cranes
														Truck Cranes
														Crawler Cranes
														Access Platforms
														Fork Lifts
														
		160.4 ft		31/53/79/99 ft		77,160 lbs		25'4.9"x24'7.3"		360°		100%		
ft	0°	31.17 20°	35°	0°	53.15 20°	35°	0°	79.07 20°	35°	0°	98.75 20°	35°	ft	
35	17												35	
40	17	17											40	
45	17	17											45	
50	17	16.7		12.3			7.7						50	
55	17	16.3	12.7	12.3	10.9		7.7			5.6			55	
60	17	15.9	12.3	12.3	10.9		7.7	7		5.6			60	
65	17	15.6	11.9	12.3	10.7		7.7	6.8		5.6			65	
70	17	15.2	11.8	12.3	10.3	7.1	7.7	6.4		5.6			70	
75	16.5	14.7	11.4	12.3	10	7	7.6	6		5.6	4.7		75	
80	15.8	14.2	11.1	12.3	9.6	6.8	7.4	5.8		5.6	4.5		80	
85	15.2	13.6	10.9	12.1	9.3	6.5	7.2	5.5		5.3	4.3		85	
90	14.6	13.1	10.8	11.8	8.9	6.3	7	5.3	3.9	5.2	4		90	
95	14	12.6	10.6	11.5	8.5	6.2	6.7	5.1	3.8	5.1	3.8		95	
100	13.4	12.2	10.4	11.2	8.2	6.1	6.3	4.9	3.7	4.9	3.7	2.6	100	
110	12.5	11.5	10	10.1	7.6	5.9	5.7	4.6	3.6	4.4	3.4	2.5	110	
120	11.5	10.8	9.6	9.3	7.2	5.7	5.1	4.2	3.4	3.9	3.1	2.3	120	
130	9.7	10	9.3	8.6	6.8	5.5	4.7	3.9	3.3	3.5	2.9	2.2	130	
140	7.9	8.3	8.5	7.9	6.3	5.3	4.3	3.7	3.2	3.2	2.6	2.1	140	
150	6.4	6.6	7	7.3	6.1	5.2	3.9	3.4	3.1	2.8	2.4	2	150	
160	5	5.3	5.3	6.2	5.8	5.1	3.6	3.3	2.9	2.6	2.3	2	160	
170	3.9	3.9	3.9	5.1	5.5	5	3.3	3.1	2.9	2.3	2.1		170	
180	3	2.9	2.6	4.3	4.5	4.5	3.1	2.8	2.8	2.2	2		180	
190				3.4	3.4	3.4	2.8	2.8	2.7	2			190	
200				2.3	2.3	1.9	2.5	2.6	2.5				200	

Call us (888) 972-7263

120 t | All Terrain Crane



170.6 ft	31/53/79/99 ft	77,160 lbs	25'4.9"x24'7.3" 100%	360°

ft	31.17			53.15			79.07			98.75			ft
	0°	20°	35°	0°	20°	35°	0°	20°	35°	0°	20°	35°	
35	14.6												35
40	14.6												40
45	14.6												45
50	14.6	14.6		10.9									50
55	14.6	14.6	12.9	10.9			7.3			5.1			55
60	14.6	14.6	12.5	10.9	9.7		7.3			5.1			60
65	14.6	14.6	12.2	10.9	9.7		7.3			5.1			65
70	14.6	14.4	12	10.9	9.4		7.3	6.5		5.1			70
75	14.6	14	11.7	10.9	9	6.1	7.3	6.1		5.1	4.8		75
80	14.3	13.5	11.3	10.9	8.6	5.9	7.2	5.9		5.1	4.6		80
85	13.5	12.8	11.1	10.9	8.3	5.7	7.1	5.7		5.1	4.3		85
90	12.7	12.1	10.8	10.8	8.1	5.7	7	5.4		5	4.1		90
95	11.9	11.4	10.6	10.4	7.8	5.5	6.8	5.2	3.9	5	3.9		95
100	11.1	10.7	10.3	10	7.4	5.3	6.6	5	3.8	4.9	3.7	2.6	100
110	9.8	9.5	9.4	8.9	7	5.1	5.9	4.7	3.6	4.6	3.5	2.5	110
120	8.7	8.4	8.4	8	6.4	4.9	5.4	4.4	3.5	4	3.2	2.4	120
130	7.7	7.5	7.5	7.1	6.1	4.8	4.9	4	3.3	3.7	2.9	2.2	130
140	6.9	6.8	6.8	6.4	5.8	4.6	4.5	3.8	3.3	3.3	2.7	2.2	140
150	6.1	6.1	6.1	5.7	5.5	4.5	4.1	3.5	3.1	3.1	2.5	2.1	150
160	5	5.3	5.4	5.1	5.1	4.4	3.8	3.4	3	2.7	2.4	2	160
170	3.9	4.1	4.1	4.5	4.5	4.3	3.5	3.2	2.9	2.4	2.2		170
180	2.9	3	2.9	4	4.2	4	3.3	3	2.8	2.3	2		180
190				3.2	3.4	3.4	3.1	2.9	2.8	2.1	2		190
200				2.4	2.6	2.3	2.6	2.7	2.5	1.9			200
210							2.3	2.5	2.2				210