


180 t All Terrain Crane




Fork Lifts | Access Platforms | Crawler Cranes | Truck Cranes | All Terrain Cranes | Rough Terrain Cranes | Boom Trucks | Carry Decks





Call us (888) 972-7263

180 t | All Terrain Crane



Working range



   														
43.3-196.9 ft      112,435 lbs      29'6"x27'3"      360° 100%														
ft	43.3 *	43.3	57.7	71.9	86.3	100.4	114.8	128.9	143.4	157.5	171.9	186.0	196.9	ft
9	400**													9
10	350.5**	307.5**	264.5**	255*	196.5									10
12	322.5**	279**	264.5**	255*	196.5	162.5								12
14	294.5**	254.5**	255**	250*	196.5	156								14
16	270**	228.5	229	228.5	196.5	145.5	121.5							16
18	243	209.5	210	209.5	196.5	136.5	119.5							18
20	216.5	193.5	194	193	194	128	117	91.3	73.6					20
25	168.5	161	161.5	164.5	163.5	111	102	91.3	73.6	59.3				25
30	134.5	134.5	136.5	138	136.5	97.5	99.5	83.8	73.3	59.3	47.6	37.5		30
35			115	117	115.5	87.1	88.8	75.3	68.3	58	47	37.5	30.9	35
40			99.8	101	99.8	78	82.2	68	61.7	54.9	45.7	37.4	30.9	40
45			87.4	88.5	87.4	71.9	76.5	62	56.5	51.2	42.9	36.3	30.9	45
50				79.4	78	66.7	71.4	56.7	51.9	47.9	40.1	34.4	30.9	50
55				70.3	68.8	62	67.6	52.2	47.8	44.6	37.7	32.4	30	55
60				60.5	59.7	58.3	63.8	48.3	44.2	41.3	35.6	30.5	28.4	60
65					52.5	56.4	56.3	44.7	41	38.5	33.5	28.9	27.1	65
70					46.6	51.7	50.3	41.8	38.2	35.9	31.8	27.5	25.7	70
75					43.3	46.7	45.2	40.4	35.7	33.6	30.2	26.1	24.5	75
80						42.2	40.7	39.2	33.4	31.5	28.8	24.9	23.3	80
85						38.4	36.8	35.5	31.4	29.4	27.4	23.9	21.9	85
90						34.5	33.6	32.3	30	27.7	26.2	22.7	20.4	90
95							30.7	29.4	28.5	26.2	25.1	21.7	19.1	95
100							28	27.5	26.6	24.8	23.8	20.9	17.9	100
110								25.1	22.2	22.1	21.6	19.2	15.7	110
120									18.5	19.9	19.8	17.9	14	120
130									17.7	17.9	16.9	16.5	12.2	130
140										15.4	15.1	14.9	10.7	140
150											14	13	9.4	150
160											12.1	11	8.3	160
170												9.3	7.1	170
180													6.1	180

\* over rear  
 \*\* with additional lifting equipment


Carry Decks  
 Boom Trucks  
 Rough Terrain Cranes  
 All Terrain Cranes  
 Truck Cranes  
 Crawler Cranes  
 Access Platforms  
 Fork Lifts

Call us (888) 972-7263

180 t | All Terrain Crane



### Working range



																			186 ft					17.72-122 ft					112,435 lbs					29'6"x27'3"					360°				
																			100%																								
ft	17.72			43.3			63			82.7			102.4			122			ft																								
	5°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°																										
35	23																	35																									
40	21.9	20.2		16.5			12.3			9.3								40																									
45	20.9	19.3		16.5			12.3			9.3								45																									
50	19.9	18.5	17.5	16			12.3			9.3			6.9					50																									
55	19.1	17.7	16.9	15.3	12.2		12.3			9.3			6.8			4.8		55																									
60	18.4	17.1	16.4	14.7	11.8		12.3			9.3			6.6			4.6		60																									
65	17.5	16.6	15.9	14.2	11.5		11.9			9.3			6.4			4.4		65																									
70	16.8	16.1	15.4	13.7	11.3	9.6	11.5	9.8		9			6.4			4.4		70																									
75	16.3	15.6	14.9	13.2	11.1	9.4	11.1	9.5		8.7			6.3			4.3		75																									
80	15.7	15.1	14.5	12.7	10.8	9.3	10.7	9.2		8.6	7		6.1			4.2		80																									
85	15	14.6	14.1	12.4	10.6	9.3	10.4	9		8.4	6.8		6			4.2		85																									
90	14.5	14.1	13.8	11.9	10.4	9.1	10	8.7	8	8.2	6.7		5.8			4		90																									
95	14.1	13.6	13.4	11.5	10.2	8.9	9.7	8.5	7.8	8.1	6.5		5.7	4.5		3.9		95																									
100	13.7	13.1	12.9	11.1	9.9	8.8	9.4	8.3	7.7	7.9	6.4	5.5	5.7	4.4		3.7		100																									
110	12.9	12.4	12.2	10.5	9.5	8.6	8.9	7.8	7.2	7.4	6.2	5.3	5.3	4.2		3.6	2.9	110																									
120	12.2	11.8	11.6	10	9	8.4	8.3	7.4	7	7	6	5.2	5.1	4.1	3.7	3.5	2.6	120																									
130	11.5	11.3	11.1	9.3	8.6	8.2	8	7.1	6.7	6.7	5.8	5.1	4.9	4	3.5	3.3	2.5	130																									
140	11	10.8	10.7	9	8.3	8	7.5	6.8	6.3	6.3	5.4	4.9	4.7	3.8	3.4	3.2	2.4	140																									
150	10.6	10.4	10.4	8.5	8	7.7	7.2	6.4	6.1	6	5.2	4.8	4.5	3.7	3.3	3	2.3	150																									
160	10.1	9.9	10.1	8.1	7.7	7.5	7	6.1	5.9	5.6	5	4.6	4.4	3.5	3.3	2.8	2.2	160																									
170	8.9	8.9		7.7	7.5	7.3	6.6	6	5.7	5.3	4.9	4.6	4.2	3.5	3.1	2.7	2.2	170																									
180	7.7	7.6		7.6	7.2	7.1	6.3	5.8	5.6	5.1	4.7	4.5	4	3.4	3.1	2.5		180																									
190				7.2	6.8	6.9	6.1	5.6	5.4	5	4.5	4.3	3.9	3.2	3	2.4		190																									
200				6.5	6.3	6.4	5.8	5.5	5.3	4.8	4.4	4.1	3.7	3.1	2.9	2.4		200																									
210				5.3	5.3	4.8	5.5	5.3	5.3	4.6	4.2	4	3.5	3.1	2.9	2.2		210																									
220							4.8	4.8	4.6	4.5	4	4	3.5	2.9	2.9	2.2		220																									
230							3.9	3.8		4.1	3.9	3.9	3.4	2.9	2.9			230																									
240										3.4	3.4		3.2	2.9	2.9			240																									
250										2.6	2.6		2.8	2.9	2.9			250																									

 Carry Decks  
 Boom Trucks  
 Rough Terrain Cranes  
 All Terrain Cranes  
 Truck Cranes  
 Crawler Cranes  
 Access Platforms  
 Fork Lifts

Call us (888) 972-7263

180 t | All Terrain Crane



196.9 ft	17.72-122 ft	112,435 lbs	29'6"x27'3" 100%	360°

ft	17.72			43.3			63			82.7			102.4		122	ft
	5°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°		
40	20.4			13.9			10.6									40
45	19.4	18		13.9			10.6									45
50	18.5	17.3	16.4	13.9			10.6			7.9			6.2			50
55	17.7	16.6	15.8	13.9			10.6			7.9			6.2		4.5	55
60	17.1	16	15.3	13.9	11.7		10.6			7.9			6.2		4.4	60
65	16.4	15.5	14.8	13.8	11.5		10.6			7.9			6.2		4.2	65
70	15.7	15	14.3	12.8	11.2	9.6	10.6	9.4		7.9			6		4.2	70
75	15.1	14.5	13.9	12.4	10.9	9.4	10.4	9.1		7.9			6		4.1	75
80	14.6	14	13.6	12	10.7	9.2	10.1	8.8		7.9	6.8		5.9		4	80
85	14.1	13.5	13.2	11.5	10.4	9	9.7	8.6		7.9	6.6		5.7		4	85
90	13.6	13.1	12.9	11.1	10	9	9.4	8.3	7.6	7.9	6.5		5.6		3.8	90
95	13.1	12.7	12.5	10.8	9.7	8.9	9.2	8.1	7.4	7.7	6.4		5.5	4.4	3.7	95
100	12.7	12.2	12	10.5	9.4	8.8	8.9	7.8	7.2	7.4	6.3	5.5	5.5	4.4	3.7	100
110	12	11.6	11.3	10	9.1	8.4	8.4	7.3	6.9	7.1	6	5.3	5.1	4.2	3.5	110
120	11.3	11	10.9	9.4	8.5	8.1	7.9	7	6.6	6.6	5.9	5.2	5	4	3.3	120
130	10.8	10.4	10.4	8.9	8.2	7.8	7.5	6.7	6.2	6.2	5.6	5.1	4.9	4	3.1	130
140	10.4	10.1	9.9	8.4	7.9	7.6	7.2	6.3	6	5.9	5.2	4.9	4.7	3.8	3.1	140
150	9.9	9.6	9.5	8	7.5	7.3	6.9	6.1	5.9	5.6	5	4.8	4.5	3.7	3	150
160	9.4	9.1	9.1	7.6	7.2	7	6.5	5.9	5.6	5.4	4.8	4.6	4.4	3.5	2.8	160
170	8.8	8.6	8.6	7.3	6.9	6.8	6.2	5.7	5.3	5.1	4.6	4.4	4.2	3.3	2.7	170
180	7.7	7.7		7	6.7	6.5	5.9	5.4	5.1	4.9	4.5	4.3	4	3.1	2.6	180
190	6.4	6.4		6.6	6.5	6.3	5.6	5.2	5.1	4.7	4.3	4.1	3.9	3.1	2.5	190
200	5.1	5.1		6.1	6.1	5.9	5.4	5	5	4.5	4.1	3.9	3.7	3	2.4	200
210				5.1	5.3	5.1	5.1	4.8	4.8	4.2	3.7	3.7	3.5	2.9	2.4	210
220				4.2	4.3	3.6	4.6	4.7	4.7	3.9	3.4	3.6	3.4	2.7	2.3	220
230							3.7	3.8	3.7	3.5	3.1	3.4	3.2	2.6		230
240										3.1	2.8	3.1	3	2.6		240
250										2.4	2.6	2.4	2.6	2.4		250