





200 t All Terrain Crane



v > 31.1 mph (50 km/h) v ≥ 15.5 mph (25 km/h) v < 15.5 mph (25 km/h)


1) 445/95 R 25 (16.00 R 25)
2) 525/80 R 25 (20.50 R 25)





Call us (888) 972-7263

200 t | All Terrain Crane



Working range



   														
43.3-196.8 ft 110,230 lbs 29'8"x27'3" 360° 100%														
ft	43.3*	43.3	57.7	71.8	86.3	100.4	114.8	128.9	143.4	157.5	171.9	186	196.8	ft
9	400**													9
10	376.3**	354.5**	264.6**	259.7**	198.4									10
12	347.4**	320.1**	264.6**	259.7**	198.4	164.9								12
13	322.3**	291**	264.6**	259.7**	198.4	164.9								13
15	300.7**	266.1**	264.6**	259.7**	198.4	159.8	124.6							15
16	275.6**	244.7	244.5	243.2	198.4	153.9	124.6							16
20	229.3	209.7	209.4	208.1	198.4	144	122.1	95.2	76.1					20
23	194.4	182.3	182.1	183	182.3	132.1	114.4	95.2	76.1	61.5				23
26	168	160.7	160.5	161.6	160.5	121.9	107.6	93	76.1	61.5	49.2			26
30	147.7	143.1	142.6	143.7	142.9	113.1	102.1	88.2	75	61.5	49.2	40.3		30
33	131.4	127.4	128.1	129.2	128.1	105.4	102.1	83.6	71.6	60.4	49.2	40.3	34.2	33
36			115.7	116.8	115.7	98.8	98.1	79.1	68.3	58	49.2	40.3	34.2	36
39			105.4	106.5	105.2	92.8	93.9	75	67	56.2	47.8	40.3	34.2	39
46			88	86.6	88	84.4	87.3	67.2	60.6	52.5	45.4	39	34.2	46
53				73.4	73.2	75.4	74.7	60.8	54.9	48.7	42.3	36.8	34	53
59				61.1	65.3	64.4	63.3	55.6	50	45.2	39.5	35.3	32.6	59
66					56.7	54.9	54.5	50.3	45.9	42.1	36.8	33.1	30.9	66
72					49.2	47.4	47	44.5	42.3	38.8	34.6	31.3	29.1	72
79						42.3	41	39.9	38.1	35.9	32.4	29.3	27.6	79
85						37.5	35.9	37.3	34	32.8	30.4	27.8	26	85
92						25.8	31.7	33.3	30.4	29.8	28.9	26.2	24	92
98							28.4	29.8	27.6	26.7	27.1	24.9	22.3	98
105							25.4	26.7	26.2	24.9	24.5	23.6	20.7	105
112								24	24.9	23.4	22	22.3	19.4	112
118								21.8	22.5	21.4	20.5	20.7	18.1	118
125									20.5	19.4	19.4	18.7	16.8	125
131									18.7	17.4	18.3	17	15.7	131
138										15.9	16.8	15.4	14.6	138
144										14.6	15.2	13.9	13.7	144
151											14.1	12.6	12.3	151
158											12.8	11.2	11.2	158
164												10.4	10.1	164
171												9	9	171
177												8.4	8.2	177
184													7.5	184


* over rear
 ** with additional lifting equipment






Call us (888) 972-7263

200 t | All Terrain Crane



Working range



				
143.3-196.8 ft	17.7 ft	110,230 lbs	29'8"x27'3" 100%	360°

ft	143.4		186		196.8		ft	
	0°	20°	40°	0°	20°	40°		
23	47.4						23	
26	47						26	
30	45.2	39.9					30	
33	43.4	38.6		24.7			33	
36	41.9	37.3	34.4	24.7		22.3	36	
39	40.3	36.2	33.3	24.7	24.7	22.3	39	
46	37.7	34	31.7	24.7	23.6	22.5 22.3	22 20.9	46
53	35.5	32.2	30.2	24	22.5	21.4 22.3	20.9 20.1	53
59	33.5	30.6	28.9	22.7	21.2	20.3 21.2	19.8 19	59
66	31.7	29.3	27.6	21.4	20.3	19.4 20.1	19 18.3	66
72	30.4	28	26.7	20.3	19.4	18.7 19	18.1 17.4	72
79	29.1	26.9	25.8	19.4	18.5	17.9 18.1	17.4 16.8	79
85	28	26	24.9	18.5	17.9	17.4 17.2	16.5 16.1	85
92	26.7	25.4	24.3	17.6	17	16.5 16.3	15.9 15.4	92
98	25.1	24.7	23.8	17	16.3	16.1 15.7	15.2 15	98
105	23.6	23.6	23.4	16.3	15.7	15.4 15.2	14.6 14.3	105
112	20.9	21.4	21.4	15.7	15.2	15 14.6	14.1 13.9	112
118	18.7	19.2	19.2	15	14.6	14.3 14.1	13.7 13.4	118
125	16.8	17.2	17.2	14.6	14.1	13.9 13.7	13.2 13	125
131	14.8	15.2		14.1	13.7	13.7 12.8	12.8 12.6	131
144	11.7	11.9		13	12.8	12.6 11	11.2 11.2	144
158				10.6	10.8	10.8 9.7	9.7 9.9	158
171				8.6	8.6		8.2 8.6	171
184				6.6	6.8		6.4 6.6	184
197							4.9 5.1	197


Carry Decks
Boom Trucks
Rough Terrain Cranes
All Terrain Cranes
Truck Cranes
Crawler Cranes
Access Platforms
Fork Lifts






Call us (888) 972-7263

200 t | All Terrain Crane



Working range



    															
186 ft		43.3-122 ft					110,230 lbs			29'8" x 27'3"			360°		
100%															
ft	0°	43.3		63			82.7			102.4			122		ft
		20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	
36	17														36
39	17			12.8			9.7								39
46	17			12.8			9.7			7.7					46
53	17	16.5		12.8			9.7			7.7			5.3		53
59	17	16.1		12.8			9.7			7.7			5.3		59
66	17	15.7	13.7	12.8	12.8		9.7			7.7			5.3		66
72	17	15	13.4	12.8	12.3		9.7			7.7			5.3		72
79	16.1	14.3	13	12.8	11.7		9.7	9.5		7.7			5.3		79
85	15.4	13.7	12.8	12.8	11.2	10.4	9.7	9.3		7.5			5.3		85
92	14.8	13.2	12.3	12.3	10.8	9.9	9.7	9		7.5	6.4		5.3		92
98	14.1	12.8	11.9	11.9	10.4	9.7	9.7	8.8		7.3	6.4		5.3		98
105	13.7	12.3	11.5	11.5	10.1	9.3	9.7	8.4	7.7	7.3	6.2		5.1	4.4	105
112	13	11.9	11.2	11	9.7	9	9.3	8.2	7.5	7.1	6		5.1	4.2	112
118	12.6	11.5	10.8	10.6	9.5	8.8	9	7.9	7.3	6.8	6		4.9	4.2	118
125	12.1	11.2	10.6	10.1	9	8.6	8.6	7.5	7.1	6.8	5.7	5.3	4.9	4	125
131	11.7	10.8	10.4	9.9	8.8	8.4	8.4	7.3	6.8	6.6	5.7	5.1	4.6	4	131
144	11	10.4	9.9	9.3	8.4	7.9	7.7	6.8	6.4	6.4	5.5	4.9	4.4	3.7	144
158	10.4	9.7	9.5	8.8	7.9	7.5	7.3	6.4	6.2	6.2	5.3	4.6	4.2	3.5	158
171	9.5	9.3	9	8.4	7.5	7.3	6.8	6.2	5.7	5.7	5.1	4.4	4.2	3.5	171
184	7.7	8.2	7.7	7.9	7.3	7.1	6.6	5.7	5.5	5.3	4.6	4.2	4	3.3	184
197	6.2	6.6		6.4	7.1	6.8	6.2	5.5	5.3	5.1	4.4	4	3.7	3.3	197
210	4.6	5.1		5.1	5.5	6	5.3	5.3	5.1	4.9	4.2	4	3.5	3.1	210
223				4	4.4		4.2	4.9	4.9	4	4	3.7	3.3	3.1	223
236				2.9	3.1		2.9	3.7	4	3.1	3.7	3.7	2.6	2.9	236
249											2.9	3.3		2.6	249

Carry Decks
Boom Trucks
Rough Terrain Cranes
All Terrain Cranes
Truck Cranes
Crawler Cranes
Access Platforms
Fork Lifts

Call us (888) 972-7263



200 t | All Terrain Crane

196.8 ft	43.3-122 ft	110,230 lbs	29'8"x27'3" 100%	360°

ft	0°	43.3 20°	40°	0°	63 20°	40°	0°	82.7 20°	40°	102.4 0°	20°	122 0°	ft
39	14.3			11									39
46	14.3			11			8.6			6.6			46
53	14.3			11			8.6			6.6		5.1	53
59	14.3	14.3		11			8.6			6.6		5.1	59
66	14.3	14.3		11	11		8.6			6.6		5.1	66
72	14.3	14.1	13	11	11		8.6			6.6		5.1	72
79	14.3	13.4	12.6	11	11		8.6	8.6		6.6		5.1	79
85	14.3	13	12.1	11	10.8	9.9	8.6	8.6		6.6		5.1	85
92	13.9	12.3	11.7	11	10.4	9.5	8.6	8.6		6.6	6.2	5.1	92
98	13.2	11.9	11.2	11	9.9	9.3	8.6	8.4		6.6	6.2	4.9	98
105	12.8	11.7	10.8	10.8	9.5	8.8	8.6	7.9	7.5	6.6	6	4.9	105
112	12.3	11.2	10.6	10.4	9.3	8.6	8.6	7.7	7.1	6.6	6	4.9	112
118	11.7	10.8	10.4	9.9	8.8	8.4	8.4	7.5	6.8	6.6	5.7	4.6	118
125	11.2	10.6	9.9	9.7	8.6	8.2	8.2	7.3	6.6	6.6	5.7	4.6	125
131	11	10.1	9.7	9.3	8.4	7.9	7.9	7.1	6.4	6.4	5.5	4.4	131
144	10.1	9.7	9.3	8.8	7.9	7.5	7.3	6.6	6.2	6.2	5.3	4.4	144
158	9	9	8.8	8.2	7.5	7.1	6.8	6.2	5.7	5.7	5.1	4.2	158
171	7.9	8.2	8.2	7.3	7.1	6.8	6.4	5.7	5.5	5.3	4.6	4	171
184	6.8	7.1	7.3	6.4	6.6	6.6	6	5.5	5.3	5.1	4.4	3.7	184
197	5.7	6.2	6.4	5.5	6	6.2	5.3	5.3	5.1	4.6	4.2	3.5	197
210	4.6	4.9		4.6	5.1	5.3	4.4	4.9	4.9	4	4	2.9	210
223	3.3	3.7		3.7	4.2	4.4	3.7	4.2	4.4	3.5	3.7	2.4	223
236				2.6	2.9		2.6	3.3	4	2.9	3.3		236
249											2.9		249