



240 t All Terrain Crane



Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes

Access Platforms


Fork Lifts





Call us (888) 972-7263

240 t | All Terrain Crane



Working range



   																	
43.4-223.1 ft				156,527 lbs				29'6.75" x 27'2.75"				360°					
100%																	
ft	43.4*	43.4	57.2	70.9	84.6	98.3	112.0	125.7	139.4	153.1	166.9	180.6	194.3	208.0	223.1	ft	
8.2	485.0**															8.2	
9.8	396.8**	389.1**	308.6**	308.6**	252.2											9.8	
11.5	373.7**	352.7**	308.6**	308.6**	252.0	199.5										11.5	
13.1	352.7**	331.8**	308.6**	308.6**	239.9	199.5										13.1	
14.8	331.8**	304.2**	303.6**	301.8**	228.6	199.5	154.3									14.8	
16.4	298.7**	280.0**	279.5**	277.8**	227.1	191.8	154.3	120.2								16.4	
19.7	248.0	240.3	240.3	238.5	227.1	175.9	154.3	120.2	95.9							19.7	
23.0	212.3	210.5	209.7	207.7	209.2	170.9	145.9	120.2	95.9	76.1						23.0	
26.2	184.3	184.3	183.9	181.9	183.2	170.9	134.9	120.2	95.9	76.1	62.8					26.2	
29.5	162.0	162.0	161.4	159.6	160.9	162.5	127.9	114.6	95.7	76.1	62.8	50.7				29.5	
32.8	144.2	144.2	143.3	141.5	142.6	144.4	127.9	107.8	91.3	76.1	62.8	50.7	41.4			32.8	
36.1			128.5	126.8	127.9	129.4	125.0	100.8	86.9	75.2	62.8	50.7	41.4	33.1		36.1	
39.4			116.2	114.4	115.5	117.1	119.0	94.4	82.9	71.9	62.4	50.7	41.4	33.1	30.4	39.4	
45.9			97.0	95.2	96.3	97.7	99.6	88.2	78.5	66.1	59.1	50.3	41.4	33.1	30.4	45.9	
52.5				80.7	81.8	83.1	85.1	82.2	71.4	62.8	54.9	48.1	41.4	33.1	30.4	52.5	
59.1				69.7	70.5	71.9	73.6	75.2	64.6	58.2	50.9	45.0	40.3	33.1	29.5	59.1	
65.6					61.5	62.8	67.0	66.1	59.1	54.0	47.4	42.1	37.9	33.1	28.9	65.6	
72.2					54.0	57.8	60.0	58.6	54.2	50.5	44.3	39.2	35.7	32.6	28.2	72.2	
78.7						54.2	53.8	52.2	50.0	46.7	41.4	36.8	33.5	30.9	27.6	78.7	
85.3						49.6	48.5	47.2	45.9	43.7	38.8	34.6	31.7	29.3	26.9	85.3	
91.9							44.1	42.5	41.2	40.6	36.6	32.6	30.0	27.8	25.1	91.9	
98.4							40.1	38.4	36.8	36.4	34.4	30.9	28.2	26.2	23.4	98.4	
105								34.6	34.2	32.6	32.4	29.1	26.7	24.9	21.8	105	
112								31.5	32.6	29.3	29.8	27.6	25.4	23.8	20.5	112	
118									30.0	26.2	26.7	26.2	24.0	22.5	19.2	118	
125									27.3	24.3	25.6	23.6	22.9	21.6	18.1	125	
131										23.4	24.3	22.0	20.7	20.5	17.0	131	
138											22.7	22.0	20.1	19.6	16.1	138	
144											17.9	20.3	18.1	18.3	15.0	144	
151												18.5	17.0	17.4	14.1	151	
158												15.7	16.1	15.7	13.4	158	
164													15.2	14.8	12.6	164	
171													14.3	13.9	11.9	171	
177														13.2	11.2	177	
184														12.6	10.6	184	
190															10.6	190	
197															9.7	197	
203																8.6	203
210																7.7	210

* Over rear
 ** With additional lifting equipment


Carry Decks
 Boom Trucks
 Rough Terrain Cranes
 All Terrain Cranes
 Truck Cranes
 Crawler Cranes
 Access Platforms
 Fork Lifts






Call us (888) 972-7263

240 t | All Terrain Crane



Working range



																			 208 ft  17.7-122 ft  156,527 lbs  29'6.75" x 27'2.75"  360°				
																			100%				
ft	0°	17,7		0°	43,3		0°	63		0°	82,7		0°	102,4		122		ft					
		20°	40°		20°	40°		20°	40°		20°	40°		20°	40°	0°	20°						
45				15														45					
50	23.2			15			11.5											50					
55	22.3	20.7	19.9	15			11.5			8.8								55					
60	21.4	19.9	19.3	15			11.5			8.8			7.1					60					
65	20.6	19.3	18.6	15	14.8		11.5			8.8			7.1			5.5		65					
70	19.9	18.6	18.1	15	14.3		11.5			8.8			7.1			5.5		70					
75	19.2	18	17.5	15	13.9		11.5	11.4		8.8			7.1			5.5		75					
80	18.6	17.5	16.8	14.9	13.6	12.5	11.5	11.2		8.8			7.1			5.5		80					
85	17.9	17	16.3	14.8	13.2	12.1	11.5	10.8		8.8	8.8		7.1			5.5		85					
90	17.4	16.7	16	14.3	12.9	12	11.5	10.5		8.8	8.7		7.1			5.5		90					
95	16.9	16.2	15.7	13.9	12.6	11.7	11.5	10.2		8.8	8.5		7.1			5.5		95					
100	16.4	15.8	15.3	13.5	12.2	11.4	11.4	9.9	9.2	8.8	8.3		7.1	6.6		5.5		100					
110	15.5	14.9	14.7	12.7	11.6	10.9	10.7	9.5	8.7	8.8	7.8	7.1	7.1	6.4		5.5	4.6	110					
120	14.6	14.2	14	12.1	11	10.5	10.1	9	8.3	8.5	7.4	6.8	7.1	6.1		5.4	4.6	120					
130	14	13.5	13.3	11.5	10.4	10	9.6	8.6	8	8.2	7.1	6.6	6.9	5.8	5.3	5.3	4.4	130					
140	13.4	13	12.8	11	10.1	9.6	9.2	8.3	7.6	7.7	6.8	6.3	6.4	5.4	5.1	5.1	4.3	140					
150	12.7	12.4	12.3	10.5	9.7	9.3	8.8	8	7.4	7.3	6.4	6.1	6.1	5.2	4.9	5	4.1	150					
160	11.7	11.7	11.7	10.1	9.4	9	8.3	7.6	7.2	7	6.1	5.9	5.9	5	4.6	4.8	3.9	160					
170	10.9	10.9	10.9	9.7	9.1	8.8	8	7.3	7.1	6.6	6	5.5	5.5	4.9	4.4	4.6	3.8	170					
180	10	10		9.1	8.7	8.7	7.8	7	6.7	6.3	5.8	5.4	5.2	4.5	4.3	4.3	3.6	180					
190	9.1	9.3		8.5	8.4	8.3	7.5	6.7	6.5	6.1	5.5	5.2	5	4.3	4.1	4.1	3.4	190					
200	8.1	8.6		8	8	7.8	7.1	6.6	6.3	5.9	5.2	5	4.7	4.1	3.9	3.9	3.3	200					
210	7.1			7.5	7.5		6.6	6.4	6.2	5.7	5.1	4.8	4.4	4	3.7	3.7	3.1	210					
220				6.8	7		6.3	6.1	6	5.4	4.9	4.7	4.2	3.8	3.6	3.4	3.1	220					
230				6	6.3		5.8	5.7		5.1	4.7	4.5	4.1	3.6	3.4	3.2	3	230					
240							5.3	5.4		4.7	4.6	4.3	3.8	3.5	3.2	3	2.8	240					
250							4.8	5		4.4	4.4		3.5	3.3	3.1	2.9		250					
260										4.1	4.2		3.3	3.1	2.9			260					
270										3.5	3.7		3.1	3				270					
280										2.8	3		2.7	2.8				280					

Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes

Access Platforms

Fork Lifts

Call us (888) 972-7263



240 t | All Terrain Crane

223.1 ft	17.7-122 ft	156,527 lbs	29'6.75"x27'2.75"	360°
100%				

ft	17,7			43,3			63			82,7			102,4			122	ft
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°		
50	20.3			13													50
55	20	19.1		13			10.1										55
60	19.5	18.4	17.7	13			10.1										60
65	18.8	17.7	17.1	13	13		10.1			7.9			6.2				65
70	18.2	17.2	16.5	13	13		10.1			7.9			6.2			5.1	70
75	17.6	16.7	16	13	12.9		10.1			7.9			6.2			5.1	75
80	17.1	16.2	15.6	13	12.7	11.8	10.1	10.1		7.9			6.2			5.1	80
85	16.6	15.7	15.2	13	12.4	11.5	10.1	10.1		7.9			6.2			5.1	85
90	16.1	15.3	14.9	13	12	11.1	10.1	9.8		7.9			6.2			5.1	90
95	15.6	14.9	14.6	12.8	11.7	10.9	10.1	9.6		7.9	7.9		6.2			5.1	95
100	15.1	14.4	14.2	12.5	11.4	10.7	10.1	9.4	8.5	7.9	7.8		6.2			5.1	100
110	14.2	13.8	13.6	11.8	10.7	10.2	10	8.9	8.2	7.9	7.3		6.2	6		5.1	110
120	13.5	13.1	12.9	11.3	10.2	9.8	9.4	8.5	7.9	7.9	7	6.6	6.2	5.7		5.1	120
130	12.9	12.4	12.2	10.7	9.7	9.3	8.9	8	7.5	7.5	6.7	6.2	6.2	5.6		5.1	130
140	12.3	11.9	11.7	10.1	9.4	9	8.5	7.6	7.2	7.2	6.3	5.9	6	5.2		4.9	140
150	11.8	11.5	11.3	9.7	9.1	8.6	8.2	7.3	7	6.9	6.1	5.6	5.8	5	4.5	4.8	150
160	11.3	11.1	1.9	9.4	8.7	8.3	7.9	7	6.7	6.5	5.9	5.5	5.4	4.8	4.4	4.5	160
170	10.4	10.4	10.4	8.8	8.4	8.2	7.5	6.8	6.4	6.2	5.5	5.3	5.1	4.4	4.2	4.2	170
180	9.7	9.7	9.7	8.5	8.1	7.8	7.2	6.5	6.2	5.9	5.4	5.1	4.8	4.3	4.1	4	180
190	9.1	9.1	9.1	8.2	7.8	7.6	6.8	6.3	6.1	5.6	5.1	5	4.5	4.1	3.9	3.9	190
200	8.2	8.2		7.7	7.6	7.4	6.6	6.1	5.9	5.5	4.8	4.8	4.4	3.9	3.7	3.6	200
210	7.1	7.1		7.1	7.3	7.3	6.4	6	5.7	5.3	4.6	4.6	4.2	3.7	3.5	3.3	210
220	5.9			6.5	6.8		6.1	5.8	5.6	5.1	4.6	4.5	4	3.6	3.4	3.1	220
230				5.8	6		5.6	5.6	5.5	4.8	4.5	4.3	3.9	3.4	3.2	3	230
240				5	5.2		5.1	5.3		4.5	4.3	4.1	3.7	3.2	3	2.8	240
250				4.1	4.4		4.6	4.8		4.2	4.2	4	3.5	3.1	2.9		250
260							3.9	4.1		3.8	4		3.2	2.9			260
270											3.7						270
280											3.4						280