





160 t Rough Terrain Crane



Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes


Truck Cranes


Crawler Cranes

Access Platforms

Fork Lifts

Working range



   													
42.8-200.1 ft 64,550 lbs 29'7.3"x26'10.9" 360° 100%													
ft	42.8	57.2	71.6	86.1	100.5	114.9	129.3	143.7	158.1	172.5	187.0	200.1	ft
8	320**	200	174.2										8
10	241.8	200	174.2										10
12	218	200	174.2	145.5									12
15	187.1	182.8	174.2	145.5	111.8								15
20	148.3	148.8	145.5	138.7	106.3	84.7							20
25	121.5	122.4	122.8	120.8	106.3	77.6	66.4						25
30	101	102.5	102.7	102.1	97.7	77.6	61.1	52.7					30
35	48.7	85.1	85.3	84.7	86.2	74.7	54.9	48.9	41.7	33.1			35
45		64.2	62.4	64.2	63.3	63.5	46.7	43	37.7	33.1	26.5	22.9	45
50			54.7	56.2	55.6	57.1	43.9	39.2	35.5	32	26.5	22.9	50
60			45.4	44.3	46.1	45.2	38.8	33.5	31.1	28.4	26	22.9	60
65				41	41.4	40.3	36.6	31.1	28.9	26.9	24.7	22.7	65
75				32.6	33.5	32.6	33.1	27.1	24.9	24	22.3	20.5	75
80					30.2	29.5	30.4	25.4	23.6	22.5	21.2	19.6	80
90					23.6	26	24.7	22.5	21.2	19.8	19.2	17.6	90
95						23.8	22.5	21.4	20.1	18.7	18.1	16.5	95
105						18.5	18.7	19	18.1	17	16.3	14.8	105
110							17.2	17.9	16.8	16.3	15.7	14.1	110
120							12.8	15.2	14.1	15	13.9	12.6	120
125								14.1	13.4	13.7	12.8	11.9	125
130								13	12.8	12.6	11.7	11.2	130
140									11.5	10.8	9.7	9.7	140
145									10.6	9.9	9	9	145
155										8.4	7.5	7.5	155
160										7.9	6.8	6.6	160
170											5.5	5.5	170
175											4.9	4.9	175
180												4.4	180
185												3.7	185

** Over front and with additional lifting equipment

Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes

Access Platforms

Fork Lifts






Call us (888) 972-7263



160 t | Rough Terrain Crane

172.5 ft	33.8/59.1 ft	64,550 lbs	29'7.3"x26'10.9"	360°
100%				

°	ft	33.8 0°	ft	33.8 20°	ft	33.8 40°	ft	59.1 0°	ft	59.1 20°	ft	59.1 40°	°
81.5°	33.8	15.9	46.9	15.9	56.8	15	39.4	10.4	61.4	9.7	76.1	7.5	81.5°
81°	35.8	15.9	48.9	15.9	58.7	14.8	42	10.4	63.7	9.7	78.1	7.5	81°
80°	40.4	15.9	53.5	15.9	62.7	14.3	46.9	10.4	68.6	9.5	83	7.5	80°
79°	45	15.9	57.7	15.7	66.3	13.9	52.2	10.4	72.8	9.3	86.9	7.3	79°
78°	49.2	15.9	61.7	15.2	70.2	13.4	56.8	10.4	77.1	9	90.9	7.3	78°
77°	53.8	15.9	64.6	14.6	73.8	13.2	61.7	10.4	81.7	8.8	94.8	7.3	77°
76°	57.7	15.9	69.2	14.1	77.1	12.8	65.9	10.4	86	8.6	98.8	7.1	76°
75°	62.3	15.9	72.8	13.7	80.7	12.6	71.2	10.4	90.2	8.6	102	7.1	75°
73°	69.9	15	80.1	13	87.6	11.9	81	10.4	98.4	8.2	110	6.8	73°
70°	81.4	13.7	90.9	11.9	97.1	11	94.2	10.4	111	7.9	120	6.6	70°
68°	88.3	13	97.4	11.5	103	10.6	102	9.9	118	7.7	127	6.6	68°
65°	98.8	11.9	107	10.8	113	10.1	114	9.3	129	7.3	136	6.4	65°
63°	105	11.5	114	10.4	118	9.7	121	8.8	136	7.1	143	6.4	63°
60°	115	10.6	123	9.7	127	9.3	132	8.4	146	6.8	152	6.2	60°
58°	121	9.9	129	9.3	133	9	139	7.9	152	6.8	158	6.2	58°
55°	130	9.3	136	8.8	140	8.4	149	7.3	162	6.6	166	6.2	55°
53°	135	8.8	142	8.4	145	8.2	155	7.1	167	6.4	171	6.2	53°
50°	143	8.4	149	7.9	152	7.7	163	6.4	175	5.7	177	5.5	50°
48°	148	7.9	154	7.5	156	7.3	169	6	179	5.5	181	5.3	48°
45°	155	7.3	160	6.8	161	6.8	176	5.3	186	4.9	187	4.9	45°
43°	159	6.8	164	6.6			181	5.1	190	4.6			43°
40°	165	6.4	170	6			188	4.4	196	4			40°
38°	169	5.7	173	5.5			192	4	199	3.5			38°
35°	174	5.1	177	4.9			198	3.5	204	3.1			35°
33°	177	4.6	180	4.4			202	3.1	207	2.6			33°
30°	182	4.2	185	4			208	2.6	211	2.2			30°
28°	185	3.7	187	3.5			211	2.4	213	2			28°
25°	188	3.3	190	3.3			215	2	216	1.8			25°
23°	191	3.1					218	1.8					23°
20°	193	2.9											20°

    													
187 ft		33.8/59.1 ft				64,550 lbs		29'7.3"x26'10.9"				360°	
100%													
°	ft	33.8 0°	ft	33.8 20°	ft	33.8 40°	ft	59.1 0°	ft	59.1 20°	ft	59.1 40°	°
81.5°	38.7	13.7	51.5	13.7	61	12.8	43.6	8.8	66.3	8.8	81.4	7.3	81.5°
81°	41	13.7	54.1	13.7	63	12.8	46.3	8.8	69.2	8.8	84	7.3	81°
80°	45.9	13.7	59.1	13.7	67.3	12.3	51.5	8.8	74.5	8.8	88.9	7.3	80°
79°	50.9	13.7	63	13.2	71.2	11.9	56.8	8.8	79.4	8.6	92.9	7.1	79°
78°	55.5	13.7	67.3	12.8	75.1	11.7	62.3	8.8	84.3	8.4	97.8	7.1	78°
77°	60.4	13.7	71.5	12.3	79.1	11.2	67.6	8.8	88.9	8.2	102	6.8	77°
76°	65	13.7	75.8	12.1	83	11	72.8	8.8	93.8	8.2	106	6.8	76°
75°	69.2	13.4	79.7	11.7	86.9	10.8	78.1	8.8	98.4	7.9	110	6.8	75°
73°	77.4	12.6	87.6	11	94.2	10.1	88.3	8.8	107	7.7	118	6.6	73°
70°	89.2	11.5	98.8	10.1	105	9.5	103	8.8	120	7.3	130	6.4	70°
68°	96.5	10.8	106	9.7	112	9	112	8.4	128	7.1	136	6.2	68°
65°	107	9.9	117	9	121	8.6	124	7.7	139	6.6	147	6.2	65°
63°	115	9.5	123	8.6	128	8.2	132	7.5	147	6.4	154	6	63°
60°	125	8.8	133	8.2	137	7.9	143	6.8	157	6.2	163	5.7	60°
58°	132	8.6	139	7.9	142	7.5	151	6.6	164	6	169	5.5	58°
55°	141	7.9	148	7.5	151	7.3	161	6.2	173	5.5	177	5.3	55°
53°	146	7.5	154	7.3	156	7.1	167	5.7	179	5.3	182	5.1	53°
50°	155	7.1	161	6.6	163	6.6	176	5.3	187	4.9	189	4.6	50°
48°	160	6.6	166	6.4	168	6.2	181	4.9	192	4.4	193	4.4	48°
45°	167	6	173	5.7	174	5.7	189	4.4	198	4	199	3.7	45°
43°	172	5.7	177	5.5			194	4	203	3.7			43°
40°	178	5.3	183	4.9			201	3.5	208	3.1			40°
38°	182	4.6	186	4.4			205	3.1	212	2.6			38°
35°	188	4	191	3.7			211	2.6	217	2.2			35°
33°	191	3.7	194	3.5			215	2.2	219	2			33°
30°	196	3.3	198	3.1			220	1.8					30°
28°	199	2.9	200	2.9									28°
25°	203	2.6	203	2.4									25°
23°	205	2.4											23°
20°	208	2.2											20°

Carry Decks

Boom Trucks

Rough Terrain Cranes

All Terrain Cranes

Truck Cranes

Crawler Cranes

Access Platforms

Fork Lifts

Call us (888) 972-7263



160 t | Rough Terrain Crane

200.1 ft	33.8/59.1 ft	64,550 lbs	29'7.3"x26'10.9"	360°
100%				

°	ft	33.8 0°	ft	33.8 20°	ft	33.8 40°	ft	59.1 0°	ft	59.1 20°	ft	59.1 40°	°
81.5°	43.3	12.1	56.8	12.1	66.6	11.5	49.5	8.2	73.5	8.2	89.2	7.1	81.5°
81°	45.6	12.1	59.4	12.1	68.9	11.2	52.8	8.2	75.5	8.2	92.5	7.1	81°
80°	52.2	12.1	64.6	11.9	73.5	10.8	58.1	8.2	82	8.2	97.1	6.8	80°
79°	56.4	12.1	69.9	11.7	77.8	10.6	64.3	8.2	87.6	8.2	102	6.8	79°
78°	61.7	12.1	73.8	11.2	82.4	10.4	70.5	8.2	92.9	7.9	107	6.6	78°
77°	66.6	12.1	78.1	10.8	86.3	9.9	75.5	8.2	97.8	7.7	112	6.6	77°
76°	71.9	12.1	83	10.6	90.6	9.7	81.7	8.2	103	7.5	116	6.6	76°
75°	76.4	11.7	87.3	10.4	94.5	9.5	87.3	8.2	107	7.3	120	6.4	75°
73°	85.6	11	95.8	9.7	102	9	97.4	8.2	116	6.8	129	6.4	73°
70°	97.8	9.9	108	9	114	8.4	111	7.5	129	6.4	140	6	70°
68°	106	9.5	115	8.6	121	7.9	120	7.3	137	6.2	148	5.7	68°
65°	118	8.8	127	7.9	131	7.5	133	6.6	150	5.7	158	5.3	65°
63°	125	8.2	134	7.7	138	7.3	142	6.4	157	5.5	166	5.3	63°
60°	135	7.5	143	7.1	148	6.8	154	5.7	168	5.3	175	4.9	60°
58°	142	7.1	150	6.6	153	6.4	161	5.5	175	4.9	181	4.9	58°
55°	152	6.6	159	6.2	162	6	172	5.1	185	4.6	190	4.4	55°
53°	158	6.2	165	6	168	5.7	178	4.6	190	4.2	194	4	53°
50°	167	5.5	173	5.3	175	5.1	187	4	198	3.5	201	3.5	50°
48°	172	5.1	178	4.9	179	4.9	193	3.5	203	3.3	205	3.3	48°
45°	179	4.6	185	4.4	186	4.4	201	3.1	210	2.9	211	2.6	45°
43°	184	4.2	190	4.2			206	2.9	214	2.4			43°
40°	191	3.7	195	3.5			213	2.2	220	2			40°
38°	195	3.3	199	3.1			218	2					38°
35°	200	2.6	204	2.4									35°
33°	204	2.4	207	2.2									33°
30°	209	2	211	1.8									30°
28°	212	1.8											28°